



Electrical & Automation

for  
*Homes*



Retail Products Price List  
Maximum Retail Prices Effective  
from 01-03-2026

©2026. ALL RIGHTS RESERVED

Tripaper® | enConnect® | englaze® | entice | enCurve | enGem

# Contents

Pg No  
03



**DY MCCB**

Pg No  
04-16



**Tripper**

Pg No  
17-19



**enConnect**




**englaze**

Pg No  
20-30




**entice**

Pg No  
31-43



**enCurve**

Pg No  
44-49



**enGem**

Pg No  
50-55

## DY125U & DY250U1 MCCB



Description	Three Pole			Four Pole		
	Current Rating (A)	Cat No	MRP/Unit in ₹	Current Rating (A)	Cat No	MRP/Unit in ₹
MCCB DY125U 16A 10kA FTFM	16	EM909830OBO	2700	16	EM909840OBO	3630
MCCB DY125U 20A 10kA FTFM	20	EM909830OCO	2700	20	EM909840OCO	3630
MCCB DY125U 25A 10kA FTFM	25	EM909830ODO	2700	25	EM909840ODO	3630
MCCB DY125U 32A 10kA FTFM	32	EM909830OEO	2700	32	EM909840OEO	3630
MCCB DY125U 40A 10kA FTFM	40	EM909830OFO	2700	40	EM909840OFO	3630
MCCB DY125U 50A 10kA FTFM	50	EM909830OGO	2700	50	EM909840OGO	3630
MCCB DY125U 63A 10kA FTFM	63	EM909830OHO	2620	63	EM909840OHO	3520
MCCB DY125U 80A 10kA FTFM With Spreader Links	80	EM909830OJO	2950	80	EM909840OJO	4070
MCCB DY125U 100A 10kA FTFM With Spreader Links	100	EM909830OKO	2950	100	EM909840OKO	4070
MCCB DY125U 125A 10kA FTFM With Spreader Links	125	EM909830OLO	4330	125	EM909840OLO	5310
*MCCB DY250U1 160A 10kA FTFM With Spreader Links	160	CM981950OMO	8000	160	CM981960OMO	10800
*MCCB DY250U1 200A 10kA FTFM With Spreader Links	200	CM981950ONO	9320	200	CM981960ONO	12100
*MCCB DY250U1 250A 10kA FTFM With Spreader Links	250	CM981950OPO	12100	250	CM981960OPO	16300

### Key Features

- Conforms to IS/IEC 60947-2, IEC 60947-2 & EN 60947-2
- Range: DY125U- 16A to 125A, 3P/4P  
\*DY250U1- 160A to 250A, 3P/4P
- $I_{cs}=100\%$  of  $I_{cu}$
- High Electrical & Mechanical life
- Thermal Magnetic Release: FTFM - Fixed Thermal Fixed Magnetic  
\*Adjustable overload settings:  $0.8 - 1.0 \times I_n$
- No Load-Line Bias
- ON-TRIP-OFF indication
- Suitable for Isolation
- Common SS enclosure for 3P & 4P

### ACCESSORIES

Description	Std Pack	Cat No	MRP/Unit in ₹
SPREADER TERMINALS- 3P -DY125U	Set of 6	CM977850000	530
SPREADER TERMINALS- 4P -DY125U	Set of 8	CM979210000	830
Auxiliary/Trip Alarm Contact- 1 C/o - DY125U	1	EM909660000	800
Shunt Release- 110V/240V/415V AC - DY125U	1	EM905200M00	1080
DIRECT ROH- DY125U	1	EM909690000	1610
EXTENDED ROH- DY125U	1	EM909700000	2310
Under Voltage Release - 240V AC- DY125U	1	EM90518B000	3260
Size I ENCLOSURE FOR DY125U MCCBs	1	CM909960000	2750
Auxiliary Contact- 1 C/O - DY250U1	1	CM978860000	1320
Auxiliary Contact- 2 C/O - DY250U1	1	CM978870000	2320
Trip Alarm Contact- 1 C/O - DY250U1	1	CM978880000	1320
Trip Alarm Contact- 2 C/O - DY250U1	1	CM978890000	2320
Auxiliary/Trip Alarm Contact- 1 C/o - DY250U1	1	CM978900000	2240
Shunt Release- 24V DC - DY250U1	1	CM914020400	2600
Shunt Release- 110V AC - DY250U1	1	CM978830A00	2600
Shunt Release- 240V/415V AC - DY250U1	1	CM978830M00	2600
Under Voltage Release - 240V AC- DY125U	1	CM97892B000	4310
DIRECT ROH- DY250U1	1	CM980400000	1800
EXTENDED ROH- DY250U1	1	CM980410000	2310
Size II ENCLOSURE FOR DY250U1 MCCBs	1	CM910030000	6310

Std Packing of all Cat nos – 1 no

**Trip**per<sup>®</sup>

**Lauritz  
Knudsen**

Electrical & Automation



Keeping your loved ones  
and appliances safe, always.




### World Class Safety Standards

Trippler products conform to relevant global standards viz., IEC, EN and IS. They also have CE/ISI marking and DEKRA certification.



### Safety Redefined

Finger proof terminals eliminate chances of accidental contact with live parts. You can install, operate and maintain trippler with total confidence.



### Energy Limiting Class - 3

If fault occurs, the rapid arc quenching mechanism operates and extinguishes the arc quickly, ensuring lowest possible energy flow through the circuit. This minimizes risk of fire and maximizes life of your equipment.




### Safety Meets Superior Aesthetics

Ergonomically designed, profiled for superior cooling and manufactured with fire retardant material. Trippler offers user safety combined with elegance.



### True Contact Indication

Trippler range enhances safety through true contact indication even from a distance regardless of it's knob position. Red and Green indication flag positively identifies the electrical ON/OFF status.



### Innovatively Profiled Breathing Channels

When two or more poles are placed adjacent to each other, the breathing channels are so profiled that the air circulates around individual pole, resulting in cooler operation, year after year.



### Large Terminal Size & Biconnect

Trippler can easily accommodate cables of up to 35 sq.mm. Biconnect terminals offer convenience of connecting both cable and bus bar.



### Two Position DIN Rail Clip

Installation on a DIN rail is further simplified with a two position DIN rail clip as a standard feature. Trippler range makes mounting on a standard DIN rail more convenient.



### Non-Welding Contacts

Silver Graphite contact tips ensure higher life and maximum safety against contact welding due to it's superior anti-welding properties, enhancing safety and life of the system.



### Combihead Screw

Trippler range of products provided with combihead screws allow you to use standard as well as Phillips screwdrivers, offering flexibility.



## HIGHLIGHTS

- marked, marked
- Conforms to IS/IEC 60898 - 6 kA
- Higher life with use of heavy duty contacts
- Innovatively designed breathing channels between poles ensure cooler operation
- Energy saving - watt loss approximately 50% lower than those prescribed by IEC standard
- Manufactured with high quality fire retardant material
- True contact indication for enhanced safety

## MINIATURE CIRCUIT BREAKERS (MCBs) - B CURVE



### Single Pole

Description	MW*	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)
6A B Curve	1	BA10060B	226	1/12
10A B Curve	1	BA10100B	226	1/12
16A B Curve	1	BA10160B	226	1/12
20A B Curve	1	BA10200B	226	1/12
25A B Curve	1	BA10250B	226	1/12
32A B Curve	1	BA10320B	226	1/12
40A B Curve	1	BA10400B	535	1/12



## MINIATURE CIRCUIT BREAKERS (MCBs) - C CURVE

### Single Pole

### Double Pole

### Three Pole

### Four Pole

Description	Single Pole				Double Pole				Three Pole				Four Pole			
	MW*	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)	MW*	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)	MW*	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)	MW*	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)
6A C Curve	1	BA10060C	226	1/12	2	BA20060C	815	1/6	3	BA30060C	1330	1/4	4	BA40060C	1785	1/3
10A C Curve	1	BA10100C	226	1/12	2	BA20100C	815	1/6	3	BA30100C	1330	1/4	4	BA40100C	1785	1/3
16A C Curve	1	BA10160C	226	1/12	2	BA20160C	815	1/6	3	BA30160C	1330	1/4	4	BA40160C	1785	1/3
20A C Curve	1	BA10200C	226	1/12	2	BA20200C	815	1/6	3	BA30200C	1330	1/4	4	BA40200C	1785	1/3
25A C Curve	1	BA10250C	226	1/12	2	BA20250C	815	1/6	3	BA30250C	1330	1/4	4	BA40250C	1785	1/3
32A C Curve	1	BA10320C	226	1/12	2	BA20320C	815	1/6	3	BA30320C	1330	1/4	4	BA40320C	1785	1/3
40A C Curve	1	BA10400C	535	1/12	2	BA20400C	1200	1/6	3	BA30400C	1915	1/4	4	BA40400C	2375	1/3
63A C Curve	1	BA10630C	595	1/12	2	BA20630C	1335	1/6	3	BA30630C	2055	1/4	4	BA40630C	2525	1/3



\*Module Width: 1 Mod = 17.5 mm

## HIGHLIGHTS

- marked, marked
- Conforms to IS 12640 - 1, IEC 61008-1
- Available in DP & FP versions from 25A to 63A ratings with 30mA, 100mA & 300mA sensitivity
- Operates on Core Balance Current Transformer (CBCT) principle
- Finger proof IP20 terminals



## RESIDUAL CURRENT CIRCUIT BREAKERS (RCCBs/ELCBs)

Description	Double Pole				Four Pole			
	MW*	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)	MW*	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)
25A 30mA	2	BC202503	2850	1	4	BC402503	3630	1
25A 100mA	2	BC202510	2950	1	4	BC402510	3695	1
25A 300mA	2	BC202530	2950	1	4	BC402530	3695	1
<b>New</b> 32 A 30mA	2	BC203203	3145	1	4	BC403203	3685	1
<b>New</b> 32A 100mA	2	BC203210	3185	1	4	BC403210	3760	1
<b>New</b> 32A 300mA	2	BC203230	3185	1	4	BC403230	3760	1
40A 30mA	2	BC204003	3145	1	4	BC404003	3685	1
40A 100mA	2	BC204010	3185	1	4	BC404010	3760	1
40A 300mA	2	BC204030	3185	1	4	BC404030	3760	1
63A 30mA	2	BC206303	4020	1	4	BC406303	4140	1
63A 100mA	2	BC206310	4075	1	4	BC406310	4200	1
63A 300mA	2	BC206330	4075	1	4	BC406330	4200	1
<b>New</b> 100A 30mA	2	BC210003	7140	1	4	BC410003	7395	1
<b>New</b> 100A 100mA	2	BC210010	7230	1	4	BC410010	7665	1
<b>New</b> 100A 300mA	2	BC210030	7230	1	4	BC410030	7665	1



## HIGHLIGHTS

- marked
- Conforms to IEC 60947 - 3
- Higher life with use of heavy duty contacts
- Innovatively designed breathing channels between poles ensure cooler operation
- Manufactured with high quality fire retardant material
- True contact indication for enhanced safety



## ISOLATORS

Description	Double Pole				Three Pole				Four Pole			
	MW*	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)	MW*	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)	MW*	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)
40A Isolator	2	BE204000	530	1/6	3	BE304000	920	1/4	4	BE404000	1185	1/3
63A Isolator	2	BE206300	660	1/6	3	BE306300	1050	1/4	4	BE406300	1230	1/3
100A Isolator	2	BE210000	900	1/6	3	BE310000	1245	1/4	4	BE410000	1485	1/3

\*Module Width: 1 Mod = 17.5 mm

## HIGHLIGHTS

- CE marked
- Conforms to IEC 60947-6, IEC 60947-3
- Wide Range of Current Ratings
  - Generator Side - 1.5A to 30A
  - Electricity Board Side - 30A
- No. of Poles 1P+N, for single phase applications
- Protection Degree - IP20
- Reliable microcontroller based design for sensing & control
- Lower power consumption
- RoHS compliant



## AUTOMATIC CHANGEOVER WITH CURRENT LIMITER(ACCL)

	Description EB/DG	MW*	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)
<b>New</b>	30A/1A	4	BCL01030001	2270	1
	30A/1.5A	4	BCL010301E5	2270	1
<b>New</b>	30A/2A	4	BCL01030002	2270	1
	30A/2.5A	4	BCL010302E5	2270	1
	30A/3A	4	BCL01030003	2270	1
	30A/4A	4	BCL01030004	2270	1
	30A/5A	4	BCL01030005	2270	1
	30A/6A	4	BCL01030006	2270	1
	30A/8A	4	BCL01030008	2270	1
	30A/10A	4	BCL01030010	2270	1
	30A/12A	4	BCL01030012	2270	1
	30A/15A	4	BCL01030015	2270	1
	30A/20A	4	BCL01030020	2270	1
	30A/30A*	4	BCL01030030	2270	1

\*Non current limiting variant

## HIGHLIGHTS

- Settable overload current limit at DG side
- Separate power consumption monitoring for Mains & Genset
- Settable overvoltage & undervoltage protection
- Settable TPN or SPN mode at DG side
- Protection against single phasing

For 3 Phase ACCL programming video please scan the QR code or click here



## THREE PHASE AUTOMATIC CHANGEOVER WITH CURRENT LIMITER (3PH ACCL) **NEW**



Description (AC-1) EB/DG	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)
32A / 32A	AUCL03032032	14385	1
40A / 32A	AUCL03040032	14825	1
40A / 40A	AUCL03040040	16045	1
50A / 50A	AUCL03050050	22870	1
63A / 50A	AUCL03063050	25235	1
63A / 63A	AUCL03063063	28585	1
80A / 80A	AUCL03080080	43565	1
125A / 125A	AUCL03125125	73335	1

## HIGHLIGHTS

- Conforms to IEC 60947-3
- Available with 3 positions (I-O-II) with centre off position
- Utilization category AC-22A



## MODULAR CHANGEOVER SWITCHES

Double Pole					Four Pole				
Description	MW*	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)	Description	MW*	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)
25A	2	AUC00202500	1975	1	40A	4	AUC00404000	5205	1
40A	2	AUC00204000	3020	1	63A	6	AUC00406300	5900	1
63A	3	AUC00206300	3515	1					

\*Module Width: 1 Mod = 17.5 mm



## HIGHLIGHTS

- marked, marked
- Conforms to IS 12640-2, IEC 61009-1, EN 61009-1
- Short Circuit Breaking Capacity - 10kA
- Wide range of current ratings - 6A to 100A
- Suitable for Isolation
- Safety Shutter
- Line-load Reversibility
- True Position Indication
- Trip-free Mechanism
- Easy fault identification -
  1. Short Circuit fault Indication :  
Clear indication by amber coloured flag
  2. Earth Leakage Fault Indication :  
Clear indication by yellow coloured flag



## RESIDUAL CURRENT CIRCUIT BREAKER WITH OVER CURRENT PROTECTION (RCBOs)

**NEW**

### Double Pole

Description	100 mA				30 mA			
	MW*	Cat No (30 mA)	MRP/Unit in ₹	Std. Pkg. (Nos.)	MW*	Cat No (100 mA)	MRP/Unit in ₹	Std. Pkg. (Nos.)
6A 2P RCBO	2	AUF3C200603	5835	1	2	AUF3C200610	5955	1
10A 2P RCBO	2	AUF3C201003	5835	1	2	AUF3C201010	5955	1
16A 2P RCBO	2	AUF3C201603	5835	1	2	AUF3C201610	5955	1
20A 2P RCBO	2	AUF3C202003	5835	1	2	AUF3C202010	5955	1
25A 2P RCBO	2	AUF3C202503	5835	1	2	AUF3C202510	5955	1
32A 2P RCBO	2	AUF3C203203	5835	1	2	AUF3C203210	5955	1
40A 2P RCBO	2	AUF3C204003	5835	1	2	AUF3C204010	5955	1
63A 2P RCBO	4	AUF3C206303	6930	1	4	AUF3C206310	7350	1

## RESIDUAL CURRENT CIRCUIT BREAKER WITH OVER CURRENT PROTECTION (RCBOs)

**NEW**

### Four Pole

Description	100 mA				30 mA			
	MW*	Cat No (30 mA)	MRP/Unit in ₹	Std. Pkg. (Nos.)	MW*	Cat No (100 mA)	MRP/Unit in ₹	Std. Pkg. (Nos.)
C16A 4P RCBO	7.5	AUF3C401603	6265	1	7.5	AUF3C401610	6975	1
C20A 4P RCBO	7.5	AUF3C402003	6265	1	7.5	AUF3C402010	6975	1
C25A 4P RCBO	7.5	AUF3C402503	6265	1	7.5	AUF3C402510	6975	1
C32A 4P RCBO	7.5	AUF3C403203	6470	1	7.5	AUF3C403210	6980	1
C40A 4P RCBO	7.5	AUF3C404003	6570	1	7.5	AUF3C404010	6980	1
C63A 4P RCBO	7.5	AUF3C406303	7875	1	7.5	AUF3C406310	8020	1
C80A 4P RCBO	12	AUF3C408003	30515	1	12	AUF3C408010	31195	1
C100A 4P RCBO	12	AUF3C410003	32620	1	12	AUF3C410010	33400	1



\*Module Width: 1 Mod = 17.5 mm

*Trip*  *box NXT*



Electrical & Automation



Smart protection for  
safer homes.

Designed for Safety  
Styled for You



Curved Door  
Adds a Stylish Touch



Over-The-Frame Design  
Delivers Higher Protection



Uniform Gasketing  
Ensures Press Protection

## SPN DISTRIBUTION BOARDS

- Available in 4, 6, 8, 12 & 16 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bar, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- Choice of metal and glazed door
- With provision for DP MCB/Isolator/RCCB/RCBO as incomer and SP MCBs as outgoing



### SPN DISTRIBUTION BOARDS

**NEW**

Description	Modules		Double Door	MRP/Unit in ₹	Double Door - Glazed	MRP/Unit in ₹
	Incomer	Outgoing				
4-Way	2	2	DTSPN004DD	1705	DTSPN004GD	2245
6-Way	2	4	DTSPN006DD	2000	DTSPN006GD	2400
8-Way	2	6	DTSPN008DD	2125	DTSPN008GD	2620
12-Way	2	10	DTSPN012DD	2555	DTSPN012GD	3180
16-Way	2	14	DTSPN016DD	3200	DTSPN016GD	3930
18-Way	2	16	DTSPN018DD	3330	DTSPN018GD	4160

## TPN DISTRIBUTION BOARDS

- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- Choice of metal and glazed door
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer and SP MCBs as outgoing



### TPN DISTRIBUTION BOARDS

**NEW**

Description	Modules		Double Door	MRP/Unit in ₹	Double Door - Glazed	MRP/Unit in ₹
	Incomer	Outgoing				
4-Way	8	4+4+4	DTTPN004DD	4220	DTTPN004GD	5510
6-Way	8	6+6+6	DTTPN006DD	5265	DTTPN006GD	6835
8-Way	8	8+8+8	DTTPN008DD	6295	DTTPN008GD	8175
12-Way	8	12+12+12	DTTPN012DD	9365	DTTPN012GD	12515

## HORIZONTAL PPI (PER PHASE ISOLATION) DBs

- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer, DP RCCB/RCBO as sub-incomer and SP MCBs as outgoing



### HORIZONTAL PPI (PER PHASE ISOLATION) DBs

**NEW**

Description	Modules			Double Door	MRP/Unit in ₹
	Incomer	Sub-Incomer	Outgoing		
4-Way	8	2+2+2	4+4+4	DTHPI004DD	6980
6-Way	8	2+2+2	6+6+6	DTHPI006DD	8365
8-Way	8	2+2+2	8+8+8	DTHPI008DD	9975
12-Way	8	2+2+2	12+12+12	DTHPI012DD	13590

## Flexi/ROW DBs

- Available in 2 Row 28 Mod, 3 Row 42 Mod, 3 Row 56 Mod, 4 Row 64 Mod
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- Gives flexibility to customer to mount modular devices as per requirement



### FLEXI/ROW DBs

**NEW**

Description	Modules	IP 43	MRP/Unit in ₹
		Metal Door	
2 Row 28 Module	14	DTROW228DD	5610
3 Row 42 Module	14	DTROW342DD	6725
4 Row 56 Module	14	DTROW456DD	7315
4 Row 64 Module	16	DTROW464DD	8510

## PHASE SEGREGATED DBs

- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator as incomer, DP RCCB/RCBO as sub-incomer and SP MCBs as outgoing



### PHASE SEGREGATED DBs

**NEW**

Description	Modules			Double Door	MRP/Unit in ₹
	Incomer	Sub-Incomer	Outgoing		
4-Way	8	4+4+4	4+4+4	DTPSG004DD	10995
6-Way	8	4+4+4	6+6+6	DTPSG006DD	12415
8-Way	8	4+4+4	8+8+8	DTPSG008DD	13860
12-Way	8	4+4+4	12+12+12	DTPSG012DD	17490

## PHASE SELECTOR DBs

- Available in 4, 6, 8 & 12 way
- Provided with 63A Selector Switches
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer and SP MCBs as outgoing



### PHASE SELECTOR DBs

**NEW**

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4-Way	8	4+4+4	DTPSR004DD	13105
6-Way	8	6+6+6	DTPSR006DD	13420
8-Way	8	8+8+8	DTPSR008DD	14230
12-Way	8	12+12+12	DTPSR012DD	15965

## VTPN DBs WITH MODULAR INCOMER

- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, Insulated vertical phase bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer and SP/TP MCBs as outgoing



### VTPN DBs WITH MODULAR INCOMER

**NEW**

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4-Way	8	4+4+4	DTVMT004DD	10110
6-Way	8	6+6+6	DTVMT006DD	11620
8-Way	8	8+8+8	DTVMT008DD	13485
12-Way	8	12+12+12	DTVMT012DD	17845

## VTPN DBs WITH MCCB INCOMER

- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, Insulated vertical phase bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for MCCB as incomer and SP/TP MCBs as outgoing
- Suitable for 3P/4P MCCB as incomer upto 125A - DY125U



## VTPN DBs WITH MCCB INCOMER **NEW**

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4-Way	MCCB	4+4+4	DTVTL004DD	12065
6-Way	MCCB	6+6+6	DTVTL006DD	14120
8-Way	MCCB	8+8+8	DTVTL008DD	15335
12-Way	MCCB	12+12+12	DTVTL012DD	19830

## DBs WITH PROVISION FOR TV / TELEPHONE SPLITTERS

- Distribution Boards equipped with provisions to mount TV / Telephone splitters
- Available in SPN & TPN DBs
- Communication DB equipped with provisions to mount 2 ONT, Spike guard, Data switch, TV / Telephone splitters



## DBs WITH PROVISION FOR TV / TELEPHONE SPLITTERS **NEW**

DB Type	Description	Modules		IP 43 Metal Door	MRP/Unit in ₹
		Incomer	Outgoing		
SPN	6 way	2	4	DTSPN006DDTV	3905
	8 way	2	6	DTSPN008DDTV	4195
	12 way	2	10	DTSPN012DDTV	5165
	16 way	2	14	DTSPN016DDTV	5990
	18 way	2	16	DTSPN018DDTV	7090
TPN	4 way	8	4+4+4	DTTPN004DDTV	7675
	6 way	8	6+6+6	DTTPN006DDTV	8865
	8 way	8	8+8+8	DTTPN008DDTV	10570
Communication DB				DTCOM01DD	*

## EV CHARGING DB

- Engineered specifically Charging application-3.3kW
- Robust earth leakage, short circuit and overload protection with RCBO
- Factory fitted RCBO, switch and socket



## EV CHARGING DB **NEW**

Description	Modules	IP 43 Metal Door	MRP/Unit in ₹
2 way EVDB	2	DTEVC002LD	*
4 way EVDB	4	DTEVC004LD	*

\*For details, please contact nearest branch office

## ENCLOSURES

- Available in 2, 3, 4 & 6 way
- With provision to mount MCB/Isolator/RCCB/RCBO or other modular devices



Single Door

### ENCLOSURES

NEW

Description	Modules	Single Door	MRP/Unit in ₹
2-Way	2	DTENC002SD	500
3-Way	3	DTENC003SD	560
4-Way	4	DTENC004SD	560
6-Way	6	DTENC006SD	845

## PLUG & SOCKET DBs

- SPN 10A & 20A; TPN - 32A
- With provision to mount MCBs/RCCBs



Single Door

### PLUG & SOCKET DBs

NEW

Description	No. of Pins	Modules	Single Door	MRP/Unit in ₹
10A, 2 Pin+SC^	P+N	1	DTMPS110SD	1270
20A, 2 Pin+SC^	P+N	1	DTMPS120SD	1355
20A, 2 Pin+SC^	P+N	2	DTMPS220SD	1480
32A, 3 Pin+SC^	3P	3	DTMPS332SD	3505

SC^ - Scraping Earth

## METAL PLUG & SOCKET

- Designed to ensure safe functioning of electrical equipment and the user safety
- Plugs & Sockets find its applications at air conditioners, welding machines, industrial equipment, etc., are made of non corrosive aluminum alloy
- Conforms to IS 8804



### METAL PLUG & SOCKET

Description	No. of Pins	Cat No	MRP/Unit in ₹
<b>Metal Plug</b>			
10A, 2 Pin+SC^	P+N	MPS210P	280
20A, 2 Pin+SC^	P+N	MPS220P	295
20A, 3 Pin+SC^	3P	MPS320P	390
32A, 3 Pin+SC^	3P	MPS332P	745
<b>Metal Socket</b>			
10A, 2 Pin+SC^	P+N	MPS210S	290
20A, 2 Pin+SC^	P+N	MPS220S	320
20A, 3 Pin+SC^	3P	MPS320S	440
32A, 3 Pin+SC^	3P	MPS332S	745

SC^ - Scraping Earth

Note: Standard Pack Quantity for Metal Plug & Socket - 20 Nos.



Single Door

Double Door

## HIGHLIGHTS

- Ready to use DBs, complete with colour - coded wire set, 100A bus bar, Neutral bar/s & Earth bar/s
- Superior quality powder coating for better looks and longer life
- DB is suitable for surface or flush mounting



Double Door



Double Door

## SINGLE PHASE NEUTRAL (SPN) DBs

Description	Modules		Single Door	MRP/Unit in ₹	Double Door	MRP/Unit in ₹
	Incomer	Outgoing				
4 way	2	2	BH104SDB	950	BH104DDB	1520
6 way	2	4	BH106SDB	1045	BH106DDB	1710
8 way	2	6	BH108SDB	1180	BH108DDB	1865
12 way	2	10	BH112SDB	1570	BH112DDB	2275
16 way	2	14	BH116SDB	1955	BH116DDB	2800

## THREE PHASE NEUTRAL (TPN) DBs

Description	Modules		Single Door	MRP/Unit in ₹	Double Door	MRP/Unit in ₹
	Incomer	Outgoing				
4 way	8	4+4+4	BH304SDB	2945	BH304DDB	3805
6 way	8	6+6+6	BH306SDB	3640	BH306DDB	4675
8 way	8	8+8+8	BH308SDB	4205	BH308DDB	5670
12 way	8	12+12+12	BH312SDB	5965	BH312DDB	8155

## PHASE SELECTOR DBs

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4 way	8	4+4+4	BHC04DDB	11980
6 way	8	6+6+6	BHC06DDB	12510

Provided with 40A selector switches

We make more than switches.  
We make your moments.



enConnect<sup>®</sup>

enConnect - Home Automation for a  
Smarter Lifestyle from Lauritz Knudsen  
#MadeForMoments



### WiFi Band

- Works on 2.4 GHz WiFi Band



### INSTALLATION

- **Mounting:** Compatible with all englaze plates
- **Wiring:** Required neutral wire at each load point



### DATA SECURITY

- **Data Encryption:** AES 256
- **Cybersecurity Testing:** Penetration (PEN) Test
- **Compliances:** ISO 27017 - Cloud Security  
ISO 27018 - Personal Data Security  
Govt. of India DPDP Act, 2023  
(Digital Personal Data Protection)



### CERTIFICATION




- Conforms to International Standard IEC-60669 Part 1 & 2
- RoHS compliant
- REACH compliant


Scan to download enConnect APP >



## TECHNICAL SPECIFICATIONS

Description	Wattage	Type of Load	Application
Wi-fi Switch 2 Channel	1000W/ Switch	LED/CFL/Halogen: 1000W *(Load capacity consideration if the driver P.f < 0.9 - 500W per Switch) Incandescent: 1500W	Lighting Load - ON/OFF (Suitable for Profile Light / Strip Light / Cove Light)
Wi-fi Switch 4 Channel	200W/ Switch	LED/CFL/Halogen: 200W *(Load capacity consideration if the driver P.f < 0.9 - 100W per Switch) Incandescent: 400W	Lighting Load - ON/OFF
Wi-fi Switch 20A for Power Load with Energy Monitoring	Refer Type of Load Section	High power appliances control – AC: upto 2 Ton Pumps: upto 2 HP Geyser: upto 4.5 kW Resistive: upto 4.5 kW	Appliance - ON/OFF
Wi-fi Fan Regulator 5 Step	120W	Ceiling Fan BLDC Fan with Remote (Only ON/OFF) BLDC Fan Without Remote (Full Control)	Fan - ON/OFF & Speed Control
Wi-fi Light Dimmer 5 Step	200W	LED - Dimmable LED (Driver Type-Trailing edge Phase cut dimming) Halogen/Incandescent - Direct Dimming (no driver required)	Light Dimming, Intensity Control *(Colour Changing feature not available)
Wi-fi Curtain Controller	50W	Motor Type: 4/5 wire AC motor (Non-Smart Motor)	Curtain/ Blinds/Shutter Control (Opening/Closing)
Wi-fi Scene Controller	-N.A-	-N.A-	Can be used as a <b>Master Switch</b> <b>4 Scenes can be allocated</b> <b>&amp; operated through Touch Control</b> (Out of total scenes created on app)





CB94702SM20    CB94602DM00    CB94602SM04



CB94602SB02    CB94602CB00    CB94602FB00    CB94602SB00

## WIFI SWITCHES

Description	Std Pack	Mountain Grey		Sparkle Black		Black glass	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Wi-fi Switch 2 Channel	1	CB94602SM02	7500	CB94602SB02	7500	CB94602SL02	7900
Wi-fi Switch 4 Channel	1	CB94602SM04	9500	CB94602SB04	9500	CB94602SL04	9900
Wi-fi Switch 20A for Power Load	1	CB94602SM20	9500	CB94602SB20	9500	N.A.	
<b>New</b> Wi-fi Switch 20A for Power Load with energy monitoring	1	CB94702SM20	9700	CB94702SB20	9700	CB94702SL20	10100
Wi-fi Fan Regulator 5 Step	1	CB94602FM00	9500	CB94602FB00	9500	CB94602FL00	9900
Wi-fi Light Dimmer 5 Step	1	CB94602DM00	9500	CB94602DB00	9500	CB94602DL00	9900
Wi-fi Curtain Controller	1	CB94602CM00	9500	CB94602CB00	9500	CB94602CL00	9900
Wi-fi Scene Controller	1	CB94602SM00	9500	CB94602SB00	9500	CB94602SL00	9900

## Key Features - what sets enConnect apart



**Smart Lighting**  
Adjust brightness with a tap or voice command



**Data and Cybersecurity**  
Operate in secure systems, PEN test to ensure compliance with DPDP ACT 2023



**Energy Management**  
Track and optimize energy usage



**Touch, App and Voice Control**  
Works with Mobile App, Alexa, Google Assistant, and feather touch



**Retrofit & Modular solution**  
Fits in any type of homes existing / new. Expandable system, flexibility to design




**Easy Installation**  
No need to change existing wires/ mounting boxes, Retrofit solutions, No gateway required



- Conforms to IEC 60669 Part 1 & 2
- Light dimmer suitable for Trailing Edge phase cut LED dimmable driver
- Fan Regulators also suitable for BLDC fan without remote
- All enConnect switches are suitable with englaze plates
- For more details, please refer technical catalogue

We make more than switches.  
We make your moments.



englaze

englaze - Luxurious and innovative  
switches from Lauritz Knudsen  
#MadeForMoments



**ANTI-MICROBIAL**

No need to keep disinfecting your switches. No one can tarnish the silver infused Englaze range that stays anti-Microbial forever.



**FABULOUSLY FLAT LOOK**

Englaze is designed to look flat from every angle. With super thin plates and carefully crafted switches, these don't bulge or clutter, they just stay pretty.



**ENERGY MONITORING**

Monitor and optimize energy usage of your heavy-duty appliances with our smart enConnect Power Switch



**REAL MATERIAL PLATES**

Real Material Plates are meticulously crafted from authentic, high-quality materials such as genuine wood, metal alloys and premium glass. Choose from various finishes, textures, and colours to create a truly personalized statement.



**BEAUTIFULLY BRIDGELESS**

Our design philosophy allows no room for gaps. Every element seamlessly flows into the next like a well written poem.



**SAFETY SHUTTERS**

Go ahead and let your children be mischievous. Every socket is carefully designed with safety shutters to keep them safe.



**CONNECTED SWITCHES**

Control your home with touch, mobile app or voice command with our enConnect home automation solution



**TESTED FOR INTERNATIONAL STANDARD**

Your safety is our top priority. englaze products undergo rigorous testing to meet safety standards, ensuring your peace of mind while using them in your home or workspace.



**SOFT FEEL SWITCHES**

Welcome home the silent beauty. Nothing can disturb you, not even a toggling of switches with englaze soft feel switches.



**QUICK CHARGING**

No need to wait any longer to charge your devices. With USB type A and USB type C charging solutions you can charge your devices faster and safer.



**INDICATIVE REGULATORS**

Don't worry about fumbling with the regulators anymore, these beauties come with indicators that tell you exactly what speed its on. Plus, its so pretty!



**FLAT DESIGN FAN REGULATOR**

Flat Fan regulator design concept to compliment the flat design philosophy of englaze range.



SOFT FEEL SWITCHES - 1 MODULE WITH




Description	Std Pack	Snow White		Mountain Grey		Sparkle Black	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Switch 10AX 1-way 1M	20	CB92601SW10	237	CB92601SM10	271	CB92601SB10	271
Switch 10AX 1-way with Indicator 1M	20	CB92801SW10	452	CB92801SM10	568	CB92801SB10	568
Switch 10AX 2-way 1M	20	CB92701SW10	431	CB92701SM10	536	CB92701SB10	536
Switch 16AX 1-way 1M	20	CB92601SW16	458	CB92601SM16	571	CB92601SB16	571
Switch 16AX 1-way with Indicator 1M	20	CB92801SW16	549	CB92801SM16	688	CB92801SB16	688
Switch 16AX 2-way 1M	20	CB92701SW16	549	CB92701SM16	688	CB92701SB16	688
Switch 25A 1-way 1M	20	CB92601SW25	630	CB92601SM25	783	CB92601SB25	783
Switch 25A 1-way with Indicator 1M	20	CB92801SW25	762	CB92801SM25	953	CB92801SB25	953

KEY FEATURES

- Designed For Silent Operation
- Soft Feel Switches
- Flat Aesthetic
- Robust Design For Longer Life
- Double rocker system for smooth operations
- 4 part design to reduce switching sound
- Heavy Duty Terminals
- Available in Snow White, Mountain Grey and Sparkle Black Colour

- All Switches and bell push are ISI marked and conforms to IS 3854: 2023
- "AX" rating for switches are suitable to fluorescent lights also.
- Suitable for Self Ballast Lamp





CB92102SW10  
CB92102SW16  
CB92102SW20



CB92402SW20  
CB92402SW32  
CB92302SW10  
CB92302SW16  
CB92302SW20



CB92102SM10  
CB92102SM16  
CB92102SM20



CB92402SM20  
CB92402SM32  
CB92302SM10  
CB92302SM16  
CB92302SM20



CB92601BW10



CB92801BW10



CB92102BW10



CB92302BW10



CB92601BM10




CB92801BM10



CB92102BM10



CB92302BM10



CB92102MW25



CB92102MM25

**SWITCHES - 2 MODULE (MEGA SWITCHES) WITH ISI**

Description	Std Pack	Snow White		Mountain Grey		Sparkle Black	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Switch 20A DP with Indicator 2M	10	CB92402SW20	932	CB92402SM20	1168	NA	
Switch 32A DP with Indicator 2M	10	CB92402SW32	1115	CB92402SM32	1395	CB92402SB32	1395
Switch 10AX 1-way 2M	10	CB92102SW10	386	CB92102SM10	483	NA	
Switch 10AX 1-way with Indicator 2M	10	CB92302SW10	516	CB92302SM10	650	NA	
Switch 10AX 2-way 2M	10	CB92202SW10	466	CB92202SM10	586	NA	
Switch 16AX 1-way 2M	10	CB92102SW16	576	CB92102SM16	719	NA	
Switch 16AX 1-way with Indicator 2M	10	CB92302SW16	694	CB92302SM16	868	NA	
Switch 16AX 2-way 2M	10	CB92202SW16	661	CB92202SM16	826	NA	
Switch 20A 1-way 2M	10	CB92102SW20	718	CB92102SM20	898	NA	
Switch 20A 1-way with Indicator 2M	10	CB92302SW20	868	CB92302SM20	1086	NA	
Switch 20A 2-way 2M	10	CB92202SW20	826	CB92202SM20	1034	NA	


**BELL PUSH WITH ISI**

Description	Std Pack	Snow White		Mountain Grey		Sparkle Black	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Soft Feel Bell Push 10AX 1-way 1M	20	CB92601BW10	457	CB92601BM10	572	CB92601BB10	572
Soft Feel Bell Push 10AX 1-way with Ind 1M	20	CB92801BW10	528	CB92801BM10	659	CB92801BB10	659
Bell Push 10AX 2M	10	CB92102BW10	566	CB92102BM10	704	CB92102BB10	704
Bell Push 10AX with Indicator 2M	10	CB92302BW10	645	CB92302BM10	810	CB92302BB10	810

**MOTOR STARTER**

Description	Std Pack	Snow White		Mountain Grey		Sparkle Black	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Motor Starter 25A 2M	10	CB92102MW25	1733	CB92102MM25	2166	CB92102MB25	2166

- All Switches and bell push are ISI marked and conforms to IS 3854: 2023
- Suitable for Self Ballast Lamp
- "AX" rating for switches are suitable to fluorescent lights also.



CB92602CW06

CB92302CW16



CB92602CM06

CB92302CM16

- 6A 3 Pin , 6A/16A 3 Pin Combi Sockets conforms to latest IS Standard of IS 1293:2019.
- All sockets are equipped with safety shutters.
- 6A 3 Pin Socket is suitable for 2 Pin Plug top also.
- **6A/16A Sockets also tested upto 25A rating.**

POWER SOCKETS WITH

Description	Std Pack	Snow White		Mountain Grey		Sparkle Black	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Socket 6A 3 Pin with ISI 2M (Heavy Duty)	10	CB92602CW06	391	CB92602CM06	466	CB92602CB06	466
Socket 6A/16A 3 Pin Combi with ISI 2M	10	CB92302CW16	674	CB92302CM16	766	CB92302CB16	766

FAN REGULATORS & DIMMERS

Description	Std Pack	Snow White		Mountain Grey		Sparkle Black	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Dimmer 400 W 1M	10	CB92101DW04	1315	CB92101DM04	1643	CB92101DB04	1643
Fan Regulator 4-Step 80W 1M	10	CB92101RW01	1120	CB92101RM01	1401	CB92101RB01	1401
Fan Regulator 5-Step 120W with ISI 2M	5	CB92102RW02	1453	CB92102RM02	1816	CB92102RB02	1816
Fan Regulator 5-Step Flat Type 120W with ISI 2M	5	CB92202RW02	1343	CB92202RM02	1679	CB92202RB02	1679



CB92101DM04

CB921101RM01

CB92102RM02

CB92202RM02

- 5 step fan regulator conforms to IS 11037: 2019 and comes with "flag indicator".
- All fan regulators are with 360 degree rotation.
- Dimmers only support incandescent and halogen load.
- Fan Regulators also suitable for BLDC fan without remote.



CB92101TW11    CB92301TW45    CB92101TW00



CB92101TM11    CB92301TM45    CB92101TM00

• For Cat 6A- Data transfer speed is upto 10GBPS and Bandwidth frequency is upto 500MHz.

### DATA SOCKETS

Description	Std Pack	Snow White		Mountain Grey		Sparkle Black	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
RJ 11 Socket with Shutter 1M	20	CB92101TW11	397	CB92101TM11	496	CB92101TB11	496
<b>New</b> RJ 45 Cat 6A Socket with Shutter 1M	20	CB92301TW45	1423	CB92301TM45	1774	CB92301TB45	1774
TV Socket 1M	20	CB92101TW00	386	CB92101TM00	483	CB92101TB00	483

### ACCESSORIES



CB92102AW00    CB92101AW00    CB92102LW00    CB92101AW02



CB92401AW00    CB92402AW00    CB92101AW18    CB92201AM18

Description	Std Pack	Snow White		Mountain Grey		Sparkle Black	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Buzzer 2M	5	CB92102AW00	910	CB92102AM00	1107	CB92102AB00	1107
Cable Outlet 1M	20	CB92101AW00	308	CB92101AM00	376	CB92101AB00	376
Blank off unit 1M	20	CB92201AW00	80	CB92201AM00	97	CB92201AB00	97
LED Foot Light 2M	5	CB92102LW00	1829	CB92102LM00	2233	CB92102LB00	2233
USB Charger - 2A 1M	10	CB92101AW02	2242	CB92101AM02	3121	CB92101AB02	3121
USB Type A Quick Charger 18W 1M	10	CB92101AW18	2882	CB92101AM18	3221	CB92101AB18	3221
USB Type C PD Charger 18W 1M	10	CB92201AW18	3786	CB92201AM18	4125	CB92201AB18	4125
LED Phase Indicator 1M - Full Glow	20	CB92401AW00	512	Same as White		Same as White	
Electronic Ding Dong Bell 2M	10	CB92402AW00	1426	CB92402AM00	1781	CB92402AB00	1781

• USB charger conforms to IS 13252(Part1)  
 • Electronic ding-dong bell is suitable for small rooms/cabins etc.



CB92202HW20  
CB92302HW32  
CB92302HW00  
CB92403HW20



CB92502HW10  
CB92602HW10

• Mechanical & electronic key tags are modular type.



CB92101KW06  
CB92101KW10  
CB92101KW16  
CB92101KW20  
CB92101KW25  
CB92101KW32

CB92202KW25  
CB92202KW32

## FEATURES

- Mini MCBs with LED indicator
- Conforms to IS/IEC 60898 – part 1
- Breaking capacity – 3 kA
- No Line load biased
- Suitable for use as isolator

## HOSPITALITY RANGE

Description	Std Pack	Snow White		Mountain Grey		Sparkle Black	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Mech key tag switch 20A 2M	5	CB92202HW20	1477	CB92202HM20	1848	CB92202HB20	1848
Mech Key Tag Switch 32A 2M	5	CB92302HW32	1672	CB92302HM32	2091	CB92302HB32	2091
Spare Key for Mech Key Tag	10	CB92302HW00	144	CB92302HM00	161	CB92302HB00	161
Electronic Key Tag 20A 3M	2	CB92403HW20	6592	CB92403HM20	8239	CB92403HB20	8239
DND-MMR Inside Room Unit 2M	10	CB92502HW10	1524	CB92502HM10	1906	CB92502HB10	1906
DND-MMR Outside Room Unit 2M	10	CB92602HW10	1082	CB92602HM10	1352	CB92602HB10	1352

## MINI MCBs WITH LED INDICATOR

Description	Std Pack	Snow White		Mountain Grey		Sparkle Black	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
6A SP Mini MCB 3 kA	10	CB92101KW06	699	CB92101KM06	814	CB92101KB06	814
10A SP Mini MCB 3 kA	10	CB92101KW10	699	CB92101KM10	814	CB92101KB10	814
16A SP Mini MCB 3 kA	10	CB92101KW16	699	CB92101KM16	814	CB92101KB16	814
20A SP Mini MCB 3 kA	10	CB92101KW20	699	CB92101KM20	814	CB92101KB20	814
25A SP Mini MCB 3 kA	10	CB92101KW25	699	CB92101KM25	814	CB92101KB25	814
32A SP Mini MCB 3 kA	10	CB92101KW32	699	CB92101KM32	814	CB92101KB32	814
25A DP Mini MCB 3 kA	5	CB92202KW25	1405	CB92202KM25	1625	CB92202KB25	1625
32A DP Mini MCB 3 kA	5	CB92202KW32	1405	CB92202KM32	1625	CB92202KB32	1625

**WOOD PLATES WITHOUT GRID FRAMES**



Mocha Wood



Beige Wood



Oak Wood

Description	Std Pack	Mocha Wood		Beige Wood		Oak Wood	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	1/10	CB92101FM04	2377	CB92101FB04	2377	CB92101FW04	2377
2 Module Cover Plate	1/10	CB92102FM04	2633	CB92102FB04	2633	CB92102FW04	2633
3 Module Cover Plate	1/10	CB92103FM04	3126	CB92103FB04	3126	CB92103FW04	3126
4 Module Cover Plate	1/10	CB92104FM04	3359	CB92104FB04	3359	CB92104FW04	3359
6 Module Cover Plate	1/10	CB92106FM04	3576	CB92106FB04	3576	CB92106FW04	3576
8 Module Cover Plate Horizontal	1/10	CB92108FM04	3904	CB92108FB04	3904	CB92108FW04	3904
8 Module Cover Plate Square	1/5	CB92208FM04	4415	CB92208FB04	4415	CB92208FW04	4415
12 Module Cover Plate	1/5	CB92112FM04	6602	CB92112FB04	6602	CB92112FW04	6602
16 Module Cover Plate	1/4	CB92116FM04	7462	CB92116FB04	7462	CB92116FW04	7462
18 Module Cover Plate	1/5	CB92118FM04	8131	CB92118FB04	8131	CB92118FW04	8131

**METAL (ALUMINIUM) PLATES WITHOUT GRID FRAMES**

**NEW**



Metallic Gold



Brush Silver



Jet Black

Description	Std Pack	Metallic Gold		Brush Silver		Jet Black	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	1/10	CB92101FG03	2677	CB92101FS03	2677	CB92101FJ03	2677
2 Module Cover Plate	1/10	CB92102FG03	2929	CB92102FS03	2929	CB92102FJ03	2929
3 Module Cover Plate	1/10	CB92103FG03	3446	CB92103FS03	3446	CB92103FJ03	3446
4 Module Cover Plate	1/10	CB92104FG03	3842	CB92104FS03	3842	CB92104FJ03	3842
6 Module Cover Plate	1/10	CB92106FG03	4733	CB92106FS03	4733	CB92106FJ03	4733
8 Module Cover Plate Horizontal	1/10	CB92108FG03	5634	CB92108FS03	5634	CB92108FJ03	5634
8 Module Cover Plate Square	1/5	CB92208FG03	6384	CB92208FS03	6384	CB92208FJ03	6384
12 Module Cover Plate	1/5	CB92112FG03	9589	CB92112FS03	9589	CB92112FJ03	9589
16 Module Cover Plate	1/4	CB92116FG03	12257	CB92116FS03	12257	CB92116FJ03	12257
18 Module Cover Plate	1/5	CB92118FG03	15714	CB92118FS03	15714	CB92118FJ03	15714

- All wooden, glass and metal plates are supplied without grid frames.
- Customers need to order the grid plates separately.
- Being Natural Wood, color and texture may have variations in supplied wooden plates.

**GLASS PLATES WITHOUT GRID FRAMES**



Icy White



Champagne Gold



Silky Silver

Description	Std Pack	Icy White		Champagne Gold		Silky Silver	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	1/10	CB92101FW02	1338	CB92101FC02	1338	CB92101FS02	1338
2 Module Cover Plate	1/10	CB92102FW02	1515	CB92102FC02	1515	CB92102FS02	1515
3 Module Cover Plate	1/10	CB92103FW02	1630	CB92103FC02	1630	CB92103FS02	1630
4 Module Cover Plate	1/10	CB92104FW02	2112	CB92104FC02	2112	CB92104FS02	2112
6 Module Cover Plate	1/10	CB92106FW02	2481	CB92106FC02	2481	CB92106FS02	2481
8 Module Cover Plate Horizontal	1/10	CB92108FW02	2812	CB92108FC02	2812	CB92108FS02	2812
8 Module Cover Plate Square	1/5	CB92208FW02	2812	CB92208FC02	2812	CB92208FS02	2812
12 Module Cover Plate	1/5	CB92112FW02	4374	CB92112FC02	4374	CB92112FS02	4374
16 Module Cover Plate	1/4	CB92116FW02	4501	CB92116FC02	4501	CB92116FS02	4501
18 Module Cover Plate	1/5	CB92118FW02	4881	CB92118FC02	4881	CB92118FS02	4881

**GLASS PLATES WITHOUT GRID FRAMES**



Midnight Black



Oceanic Green



Matte Mirror

Description	Std Pack	Midnight Black		Oceanic Green		Matte Mirror	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	1/10	CB92101FB02	1338	CB92101FG02	1338	CB92101FM02	1338
2 Module Cover Plate	1/10	CB92102FB02	1515	CB92102FG02	1515	CB92102FM02	1515
3 Module Cover Plate	1/10	CB92103FB02	1630	CB92103FG02	1630	CB92103FM02	1630
4 Module Cover Plate	1/10	CB92104FB02	2112	CB92104FG02	2112	CB92104FM02	2112
6 Module Cover Plate	1/10	CB92106FB02	2481	CB92106FG02	2481	CB92106FM02	2481
8 Module Cover Plate Horizontal	1/10	CB92108FB02	2812	CB92108FG02	2812	CB92108FM02	2812
8 Module Cover Plate Square	1/5	CB92208FB02	2812	CB92208FG02	2812	CB92208FM02	2812
12 Module Cover Plate	1/5	CB92112FB02	4374	CB92112FG02	4374	CB92112FM02	4374
16 Module Cover Plate	1/4	CB92116FB02	4501	CB92116FG02	4501	CB92116FM02	4501
18 Module Cover Plate	1/5	CB92118FB02	4881	CB92118FG02	4881	CB92118FM02	4881

All wooden, glass and metal plates are supplied without grid frames. Customers need to order the grid plates separately.



PLASTIC COVER PLATES WITH GRID FRAMES

NEW



Snow White



Mountain Grey



Sparkle Black

Description	Dimensions W X H X D (mm)	Std Pack	Snow White		Mountain Grey		Sparkle Black	
			Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	97 X 90 X 14	10	CB92101FW00	267	CB92101FM01	383	CB92101FB01	383
2 Module Cover Plate	97 X 90 X 14	10	CB92102FW00	267	CB92102FM01	383	CB92102FB01	383
3 Module Cover Plate	125 X 90 X 14	10	CB92103FW00	310	CB92103FM01	445	CB92103FB01	445
4 Module Cover Plate	157 X 90 X 14	10	CB92104FW00	356	CB92104FM01	511	CB92104FB01	511
6 Module Cover Plate	228 X 90 X 14	5	CB92106FW00	553	CB92106FM01	790	CB92106FB01	790
8 Module Cover Plate Horizontal	262 X 90 X 18	4	CB92108FW00	655	CB92108FM01	937	CB92108FB01	937
8 Module Cover Plate Square	157 X 157 X 14	5	CB92208FW00	655	CB92208FM01	937	CB92208FB01	937
12 Module Cover Plate	228 X 157 X 14	5	CB92112FW00	884	CB92112FM01	1262	CB92112FB01	1262
16 Module Cover Plate	249 X 157 X 19	4	CB92116FW00	1096	CB92116FM01	1500	CB92116FB01	1500
18 Module Cover Plate	228 X 226 X 20	5	CB92118FW00	1238	CB92118FM01	1689	CB92118FB01	1689

PLASTIC COVER PLATES WITH GRID FRAMES

NEW

NEW



Champagne Gold



Moonlight Silver



Gold Blush



Satin Chrome

Description	Dimensions W X H X D (mm)	Std Pack	Champagne Gold		Moonlight Silver		Gold Blush		Satin Chrome	
			Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	97 X 90 X 14	10	CB92101FC01	383	CB92101FS01	383	CB92101FG01	383	CB92101FT01	383
2 Module Cover Plate	97 X 90 X 14	10	CB92102FC01	383	CB92102FS01	383	CB92102FG01	383	CB92102FT01	383
3 Module Cover Plate	125 X 90 X 14	10	CB92103FC01	445	CB92103FS01	445	CB92103FG01	445	CB92103FT01	445
4 Module Cover Plate	157 X 90 X 14	10	CB92104FC01	511	CB92104FS01	511	CB92104FG01	511	CB92104FT01	511
6 Module Cover Plate	228 X 90 X 14	5	CB92106FC01	790	CB92106FS01	790	CB92106FG01	790	CB92106FT01	790
8 Module Cover Plate H	262 X 90 X 18	4	CB92108FC01	937	CB92108FS01	937	CB92108FG01	937	CB92108FT01	937
8 Module Cover Plate S	157 X 157 X 14	5	CB92208FC01	937	CB92208FS01	937	CB92208FG01	937	CB92208FT01	937
12 Module Cover Plate	228 X 157 X 14	5	CB92112FC01	1262	CB92112FS01	1262	CB92112FG01	1262	CB92112FT01	1262
16 Module Cover Plate	249 X 157 X 19	4	CB92116FC01	1500	CB92116FS01	1500	CB92116FG01	1500	CB92116FT01	1500
18 Module Cover Plate	228 X 226 X 20	5	CB92118FC01	1689	CB92118FS01	1689	CB92118FG01	1689	CB92118FT01	1689


All white and colour plastic plates are supplied with grid frames.

**GRID FRAMES FOR ALL MATERIAL PLATES (GLASS, METAL, WOOD)**



CB92102GB00

CB92103GB00



CB92106GB00




CB92108GB00

*For Metal Boxes refer pg. no. 43*

Description	Cut-out Dimensions (For Furniture Installation) W X H (mm)	Std Pack	Cat No	MRP in ₹
1/2 Module Grid Frame	71 X 60	10	CB92102GB00	103
3 Module Grid Frame	86 X 60	10	CB92103GB00	131
4 Module Grid Frame	110 X 60	10	CB92104GB00	156
6 Module Grid Frame	156 X 60	5	CB92106GB00	242
8 Module Grid Frame Horizontal	206 X 68	4	CB92108GB00	287
8 Module Grid Frame Square	109 X 125	5	CB92208GB00	287
12 Module Grid Frame	168 X 126	5	CB92112GB00	392
16 Module Grid Frame	191 X 136	4	CB92116GB00	508
18 Module Grid Frame	156 X 193	5	CB92118GB00	566

We make more than switches.  
We make your moments.



entice

entice - Vibrant and sophisticated  
switches from Lauritz Knudsen  
#MadeForMoments

# THE SHADE OF SUCCESS

360-degree /  
full rotation of  
fan regulator.

Modular  
USB  
charger.

Complete  
connection  
solution for TV,  
computers etc.

Modular MCB  
with LED  
Indicators.

ISI  
certified

Glass Plates &  
Marble Finish  
available

Strong,  
durable  
build.

Safety  
shutters.

Sleek,  
ribless  
design.

Vertical &  
horizontal  
mounting  
plates.

Tested for over  
3 Lakh clicks.

Type A & Type C  
Quick Charger

Feather Touch  
Switches with  
Remote

High  
gloss  
mirror  
finish.

MODULAR IR TOUCH SWITCHES - SUITABLE FOR ENTICE PLATES

KEY FEATURES : TOUCH SWITCHES

- Modular type Touch Switches range suitable for all entice plates
- Hassle free installation-No need to change any wiring & mounting boxes
- Night Locator-Easy to locate in dark
- Highly Reliable & Durable
- Conforms to international standard IEC-60669 Part 1 & 2
- Range covers Switching & Controls function
- Black & Charcoal Grey options available




KEY FEATURES: IR REMOTE


- Sit and operate-32 Switch control
- Set your favourite scene-8 different scenes in a click
- Master Switch-Master On/Off in a click




SWITCHES




SWITCH: 4CH




SWITCH: 2CH



SWITCH: 2-WAY




SWITCH: BELL PUSH




SWITCH: 25 A

CONTROLS



LIGHT DIMMER



FAN REGULATOR

Charcoal Grey



Black



Description	Std Pack	Charcoal Grey		Black	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Touch IR Switch 2 Channel 2M	1	CB91602SC02	4650	CB91602SB02	4650
Touch IR Switch 4 Channel 2M	1	CB91602SC04	5100	CB91602SB04	5100
Touch IR Switch 2 way 2M	1	CB91602SC00	4960	CB91602SB00	4960
Touch Bell Push 2M	1	CB91602BC00	4640	CB91602BB00	4640
Touch IR Switch 25 A 2M	1	CB91602SC20	4875	CB91602SB20	4875
Touch IR Fan Regulator 8-Step 2M	1	CB91602FC00	5400	CB91602RB00	5400
Touch IR Universal Light Dimmer 2M*	1	CB91602DC00	6000	CB91602DB00	6000
IR Remote Control - Black	1	CB98T02RM13	1400		

\*Universal Dimmer suitable for LED Lights with phase-cut drivers



CB91101SW10  
CB91101SW16  
CB91101SW25  
CB91301SW10  
CB91301SW16  
CB91301SW25  
CB91201SW10  
CB91201SW16  
CB91402SW20  
CB91402SW32



CB91101SG10  
CB91101SG16  
CB91101SG25  
CB91301SG10  
CB91301SG16  
CB91301SG25  
CB91201SG10  
CB91201SG16  
CB91402SG20  
CB91402SG32



CB91101BW10  
CB91301BW10  
CB91101BG10  
CB91301BG10



CB91102MW25  
CB91102MG25

- 3 Lakh switching operation.
- Spark Shield, Captive screws & Tunnel Terminals.
- All Switches and bell push are ISI marked and conforms to IS 3854: 2023
- "AX" rating for switches are suitable to fluorescent lights also.
- Suitable for Self Ballast Lamp

### SWITCHES WITH

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Switch 10AX 1-way 1M	20	CB91101SW10	122	CB91101SG10	169
Switch 10AX 1-way with Indicator 1M	20	CB91301SW10	308	CB91301SG10	432
Switch 10AX 2-way 1M	20	CB91201SW10	279	CB91201SG10	389
Switch 16AX 1-way 1M	20	CB91101SW16	298	CB91101SG16	435
Switch 16AX 1-way with Indicator 1M	20	CB91301SW16	373	CB91301SG16	528
Switch 16AX 2-way 1M	20	CB91201SW16	373	CB91201SG16	503
Switch 25A 1-way 1M	20	CB91101SW25	464	CB91101SG25	530
Switch 25A 1-way with Indicator 1M	20	CB91301SW25	562	CB91301SG25	609
Switch 20A DP with Indicator 2M	10	CB91402SW20	708	CB91402SG20	931
Switch 32A DP with Indicator 2M	10	CB91402SW32	814	CB91402SG32	1117

### BELL PUSH WITH

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Bell Push 10AX 1M	20	CB91101BW10	326	CB91101BG10	429
Bell Push 10AX with indicator 1M	20	CB91301BW10	374	CB91301BG10	493
Bell Push 10AX with indicator 2M	10	CB91302BW10	485	CB91302BG10	637

### MOTOR STARTER

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Motor Starter 25A 2M	10	CB91102MW25	1551	CB91102MG25	2036



CB91602CW06  
CB91702CW06



CB91302CW16



CB91602CG06  
CB91702CG06



CB91302CG16

### POWER SOCKETS WITH

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Socket 6A 3 Pin with ISI 2M	10	CB91602CW06	230	CB91602CG06	328
<b>New</b> Socket 6A 3 Pin with ISI 2M (Heavy Duty)	10	CB91702CW06	248	CB91702CG06	335
Socket 6A/16A 3 Pin Combi with ISI 2M	10	CB91302CW16	504	CB91302CG16	707

- 6A 3 Pin, 6A/16A 3 Pin Combi Sockets conforms to latest IS Standard of IS 1293:2019.
- All sockets are equipped with safety shutters.
- 6A 3 Pin Socket is also suitable for 2 Pin Plug top.
- 6A 3 Pin Socket Heavy Duty is with heavy connectors and terminals for more durability.
- 6A/16A Sockets also tested upto 25A rating.

### FAN REGULATORS & DIMMERS



CB91101DW04



CB91101RW01



CB91102RW02

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Dimmer 400 W 1M	10	CB91101DW04	1077	CB91101DG04	1529
Fan Regulator 4-Step 80W 1M	10	CB91101RW01	748	CB91101RG01	1092
Fan Regulator 5-Step 120W with ISI 2M	5	CB91102RW02	1033	CB91102RG02	1509

- 5 step fan regulator conforms to IS 11037: 2019
- All fan regulators are with 360 degree rotation.
- Dimmers only support incandescent and halogen load.
- Fan Regulators also suitable for BLDC fan without remote.

### DATA SOCKETS



CB91101TW11      CB91301TW45      CB91101TW00

Description	Standard Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
RJ 11 Socket with Shutter 1M	20	CB91101TW11	316	CB91101TG11	465
<b>New</b> RJ 45 Cat 6A Socket with Shutter 1M	20	CB91301TW45	1154	CB91301TG45	1663
TV Socket 1M	20	CB91101TW00	316	CB91101TG00	447

• For Cat 6A- Data transfer speed is upto 10GBPS and Bandwidth frequency is upto 500MHz.



CB91102AW00      CB91402AW00      CB91101AW00      CB91201AW00      CB91102LW00



CB91101AW02      CB91401AW00      CB91102AG00      CB91101AG00      CB91201AG00      CB91101AG18      CB91201AW18

• Electronic ding-dong bell is suitable for small rooms/cabins etc.

### ACCESSORIES

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Buzzer 2M	5	CB91102AW00	752	CB91102AG00	1081
Cable Outlet 1M	White 20 Grey 15	CB91101AW00	254	CB91101AG00	366
Blank Off Unit 1M	20	CB91201AW00	65	CB91201AG00	90
LED Foot Light 2M	5	CB91102LW00	1515	CB91102LG00	2177
USB Charger 2A 1M	10	CB91101AW02	1754	CB91101AG02	2620
USB Type A Quick Charger 18W 1M	10	CB91101AW18	2301	CB91101AG18	2670
USB Type C PD Charger 18W 1M	10	CB91201AW18	3157	CB91201AG18	3585
LED Phase Indicator 1M - Full Glow	20	CB91401AW00	393	Same as White	
Electronic Ding Dong Bell 2M	10	CB91402AW00	1211	CB91402AG00	1607



CB91202HW20  
CB91302HW32      CB91502HW10      CB91602HW10



CB91302HW00      CB91202HG20  
CB91302HG32      CB91502HG10

• Mechanical Key Tag are modular type and supplied without any plates.



CB91101KW06  
CB91101KW10  
CB91101KW16  
CB91101KW20  
CB91101KW25  
CB91101KW32



CB91202KW25  
CB91202KW32

## FEATURES

- Mini MCBs with LED indicator
- Conforms to IS/IEC 60898 – part 1
- Breaking capacity – 3 kA
- No Line load biased
- Suitable for use as isolator

## HOSPITALITY RANGE

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Mech Key Tag Switch 20A 2M	5	CB91202HW20	1044	CB91202HG20	1377
Mech Key Tag Switch 32A 2M	5	CB91302HW32	1184	CB91302HG32	1563
Spare Key for Mech Key Tag	10	CB91302HW00	110	CB91302HG00	124
DND-MMR Inside Room Unit 2M	10	CB91502HW10	817	CB91502HG10	1194
DND-MMR Outside Room Unit 2M	10	CB91602HW10	871	Same as White	

## MINI MCBs WITH LED INDICATOR

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
6A SP Mini MCB 3kA 1M	10	CB91101KW06	615	CB91101KG06	765
10A SP Mini MCB 3kA 1M	10	CB91101KW10	615	CB91101KG10	765
16A SP Mini MCB 3kA 1M	10	CB91101KW16	615	CB91101KG16	765
20A SP Mini MCB 3kA 1M	10	CB91101KW20	615	CB91101KG20	765
25A SP Mini MCB 3kA 1M	10	CB91101KW25	615	CB91101KG25	765
32A SP Mini MCB 3kA 1M	10	CB91101KW32	615	CB91101KG32	765
25A DP Mini MCB 3kA 2M	5	CB91202KW25	1222	CB91202KG25	1509
32A DP Mini MCB 3kA 2M	5	CB91202KW32	1222	CB91202KG32	1509

# WHITES



The serenity of the white classics are perfect for those who seek understated elegance.



# VIVID



Gold Rush



Eco Grey

Handpicked artistic colours that will shine through, as a display of your fine taste.



Charcoal Grey



Ice Silver



Bottle Green



Black Beauty



# VIBRANT



Firestorm Orange

Rare & full of life, the vibrant series is full of bright colours, crafted for those who prefer the exotic.



Metallic Grey



Rustic Gold



Rose Gold



# WOODEN



Cinnamon Wood


Rustic & earthy, these wooden tones really bring out the aesthetics of your home.



Dark Chocolate Wood



**COVER PLATES WITH GRID FRAMES - WHITE**



- 8M Horizontal Small size, is suitable for 10M ORIS Box.
- All White cover plates supplied with grid frames.
- 16M Cover plate is also suitable for 12M GI metal box.

Description	Dimensions W X H X D (mm)	Std Pack	Cat No	MRP in ₹
1 Module Cover Plate+Grid Frame	97 X 90 X 14	15	CB91101FW00	199
2 Module Cover Plate+Grid Frame	97 X 90 X 14	15	CB91102FW00	199
3 Module Cover Plate+Grid Frame	125 X 90 X 14	10	CB91103FW00	259
4 Module Cover Plate+Grid Frame	157 X 90 X 14	10	CB91104FW00	296
6 Module Cover Plate+Grid Frame	228 X 90 X 14	5	CB91106FW00	396
8 Module Cover Plate+Grid Frame Horizontal	262 X 90 X 14	5	CB91108FW00	471
8 Module Cover Plate+Grid Frame Square	157 X 157 X 14	5	CB91208FW00	471
8 Module Cover Plate+Grid Frame-Small Size (Suitable for Oris 10M Boxes)	262 X 90 X 18	5	CB91308FW00	559
12 Module Cover Plate+Grid Frame	228 X 157 X 14	5	CB91112FW00	637
16 Module Cover Plate+Grid Frame	248 X 156 X 18	4	CB91116FW00	789
18 Module Cover Plate+Grid Frame	228 X 226 X 14	5	CB91118FW00	833

**COVER PLATES WITHOUT GRID FRAMES - VIVID SHADES**



- All color plates supplied without grid frames.
- Customer need to select Grid Frames Separately.
- All colour product pictures are for visualization purpose only, actual product colour may vary.
- Automotive Grade 2K PU Paint Technology for Durability.
- 16M Cover plate is also suitable for 12M GI metal box.

Description	Std Pack	Charcoal Grey	Eco Grey	Gold Rush	Ice Silver	Black Beauty	Bottle Green	MRP in ₹
		Cat No	Cat No	Cat No	Cat No	Cat No	Cat No	
1 Module Cover Plate	15	CB91101FG11	CB91101FE11	CB91101FU11	CB91101FI11	CB91101FB11	CB91101FD11	266
2 Module Cover Plate	15	CB91102FG11	CB91102FE11	CB91102FU11	CB91102FI11	CB91102FB11	CB91102FD11	266
3 Module Cover Plate	10	CB91103FG11	CB91103FE11	CB91103FU11	CB91103FI11	CB91103FB11	CB91103FD11	354
4 Module Cover Plate	10	CB91104FG11	CB91104FE11	CB91104FU11	CB91104FI11	CB91104FB11	CB91104FD11	392
6 Module Cover Plate	5	CB91106FG11	CB91106FE11	CB91106FU11	CB91106FI11	CB91106FB11	CB91106FD11	506
8 Module Cover Plate Horizontal	5	CB91108FG11	CB91108FE11	CB91108FU11	CB91108FI11	CB91108FB11	CB91108FD11	593
8 Module Cover Plate Square	5	CB91208FG11	CB91208FE11	CB91208FU11	CB91208FI11	CB91208FB11	CB91208FD11	593
12 Module Cover Plate	5	CB91112FG11	CB91112FE11	CB91112FU11	CB91112FI11	CB91112FB11	CB91112FD11	802
16 Module Cover Plate	5	CB91116FG11	CB91116FE11	CB91116FU11	CB91116FI11	CB91116FB11	CB91116FD11	1088
18 Module Cover Plate	5	CB91118FG11	CB91118FE11	CB91118FU11	CB91118FI11	CB91118FB11	CB91118FD11	1207

**COVER PLATES WITHOUT GRID FRAMES - VIBRANT SHADES**



Rustic Gold

Metallic Grey



Firestorm Orange

Rose Gold

- All color plates supplied without grid frames.
- Customer need to select Grid Frames Separately.
- All colour product pictures are for visualization purpose only, actual product colour may vary.
- Automotive Grade 2K PU Paint Technology for Durability.
- 16M Cover plate is also suitable for 12M GI metal box.

Description	Std Pack	Rustic Gold	Metallic Grey	Firestorm Orange	Rose Gold	MRP in ₹
		Cat No	Cat No	Cat No	Cat No	
1 Module Cover Plate	15	CB91101FR11	CB91101FM11	CB91101FS11	CB91101FL11	398
2 Module Cover Plate	15	CB91102FR11	CB91102FM11	CB91102FS11	CB91102FL11	398
3 Module Cover Plate	10	CB91103FR11	CB91103FM11	CB91103FS11	CB91103FL11	498
4 Module Cover Plate	10	CB91104FR11	CB91104FM11	CB91104FS11	CB91104FL11	526
6 Module Cover Plate	5	CB91106FR11	CB91106FM11	CB91106FS11	CB91106FL11	604
8 Module Cover Plate Horizontal	5	CB91108FR11	CB91108FM11	CB91108FS11	CB91108FL11	792
8 Module Cover Plate Square	5	CB91208FR11	CB91208FM11	CB91208FS11	CB91208FL11	792
12 Module Cover Plate	5	CB91112FR11	CB91112FM11	CB91112FS11	CB91112FL11	1057
16 Module Cover Plate	5	CB91116FR11	CB91116FM11	CB91116FS11	CB91116FL11	1163
18 Module Cover Plate	5	CB91118FR11	CB91118FM11	CB91118FS11	CB91118FL11	1445

**COVER PLATES WITHOUT GRID FRAMES - WOODEN FINISHES**



Dark Chocolate Wood

Cinnamon Wood

- All color plates supplied without grid frames.
- Customer need to select Grid Frames Separately.
- All colour product pictures are for visualization purpose only, actual product colour may vary.
- Cubic Printing Technology used for wooden finishes.
- 16M Cover plate is also suitable for 12M GI metal box.


Description	Std Pack	Dark Chocolate Wood	Cinnamon Wood	MRP in ₹
		Cat No	Cat No	
1 Module Cover Plate	15	CB91101FL12	CB91101FA12	428
2 Module Cover Plate	15	CB91102FL12	CB91102FA12	428
3 Module Cover Plate	10	CB91103FL12	CB91103FA12	512
4 Module Cover Plate	10	CB91104FL12	CB91104FA12	608
6 Module Cover Plate	5	CB91106FL12	CB91106FA12	826
8 Module Cover Plate Horizontal	5	CB91108FL12	CB91108FA12	999
8 Module Cover Plate Square	5	CB91208FL12	CB91208FA12	999
12 Module Cover Plate	5	CB91112FL12	CB91112FA12	1416
16 Module Cover Plate	5	CB91116FL12	CB91116FA12	1786
18 Module Cover Plate	5	CB91118FL12	CB91118FA12	2236

## Glass Plates & Marble Finish Plates

### GLASS




Onyx Black Glass



Classic Grey Glass

Presenting the all new range of Glass plates in entice. These Glass Plates represent the perfect amalgamation of style and functionality. Crafted with utmost precision and attention to detail, they exude elegance and modernity, elevating the aesthetics of any space they adorn.


- Real Toughened 4mm Glass with Golden Bezel
- Plates are supplied with Grid Plates



Glacier White Glass



Caramel Brown Glass



Bronze Mirror Glass

### MARBLE FINISH



Mystic Marble Finish

Introducing the timeless beauty of Marble finish plates. Marble finish plates effortlessly blend with a variety of interior styles, from classic to contemporary, traditional to modern. Their timeless appeal ensures that they remain a stylish addition to your home for years to come.

- Marble Finish plates made with highly reliable Thermal/Heat transfer film technology
- Plates are supplied with Grid Plates




White Marble Finish



Onyx Black Glass



Classic Grey Glass



Glacier White Glass



Caramel Brown Glass



Bronze Mirror Glass



Mystic Marble Finish



White Marble Finish

ENTICE GLASS PLATES WITH GRID FRAME

COMING SOON

COMING SOON


COMING SOON

Description	Std Pack	Onyx Black	Classic Grey	Glacier White	Caramel Brown	Bronze Mirror	MRP in ₹
		Cat No	Cat No	Cat No	Cat No	Cat No	
1 Module Cover Plate	1	CB91101FB02	CB91101FC02	CB91101FG02	CB91101FR02	CB91101FM02	790
2 Module Cover Plate	1	CB91102FB02	CB91102FC02	CB91102FG02	CB91102FR02	CB91102FM02	790
3 Module Cover Plate	1	CB91103FB02	CB91103FC02	CB91103FG02	CB91103FR02	CB91103FM02	1125
4 Module Cover Plate	1	CB91104FB02	CB91104FC02	CB91104FG02	CB91104FR02	CB91104FM02	1550
6 Module Cover Plate	1	CB91106FB02	CB91106FC02	CB91106FG02	CB91106FR02	CB91106FM02	1950
8 Module Cover Plate Horizontal	1	CB91108FB02	CB91108FC02	CB91108FG02	CB91108FR02	CB91108FM02	2250
8 Module Cover Plate Square	1	CB91208FB02	CB91208FC02	CB91208FG02	CB91208FR02	CB91208FM02	2250
12 Module Cover Plate	1	CB91112FB02	CB91112FC02	CB91112FG02	CB91112FR02	CB91112FM02	2725
16 Module Cover Plate	1	CB91116FB02	CB91116FC02	CB91116FG02	CB91116FR02	CB91116FM02	2950
18 Module Cover Plate	1	CB91118FB02	CB91118FC02	CB91118FG02	CB91118FR02	CB91118FM02	3350


ENTICE MARBLE FINISH PLATES WITH GRID FRAME

Description	Std Pack	Mystic Marble Finish		White Marble Finish	
		Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	1	CB91101FM07	455	CB91101FW07	455
2 Module Cover Plate	1	CB91102FM07	455	CB91102FW07	455
3 Module Cover Plate	1	CB91103FM07	525	CB91103FW07	525
4 Module Cover Plate	1	CB91104FM07	595	CB91104FW07	595
6 Module Cover Plate	1	CB91106FM07	830	CB91106FW07	830
8 Module Cover Plate Horizontal	1	CB91108FM07	925	CB91108FW07	925
8 Module Cover Plate Square	1	CB91208FM07	925	CB91208FW07	925
12 Module Cover Plate	1	CB91112FM07	1250	CB91112FW07	1250
16 Module Cover Plate	1	CB91116FM07	1850	CB91116FW07	1850
18 Module Cover Plate	1	CB91118FM07	1950	CB91118FW07	1950

### GRID FRAMES (FOR VIVID, VIBRANT & WOOD COVER PLATES)



- Grid frames suitable for all colour plates and wooden finish plates.
- Ease for retailers to maintain stocks.



### GI METAL MOUNTING BOXES


Description	Dimensions W X H X D (mm)	Std Pack	Cat No	MRP in ₹
GI Metal Box - 1 & 2 Module	77 X 76 X 53	60	CB91102WM00	113
GI Metal Box-3 Module	103 X 76 X 53	45	CB91103WM00	157
GI Metal Box- 4 Module	136 X 76 X 53	30	CB91104WM00	180
GI Metal Box- 6 Module	210 X 76 X 53	20	CB91106WM00	254
GI Metal Box- 8 Module Horizontal	227 X 82 X 53	15	CB91108WM00	322
GI Metal Box- 8 Module Square	136 X 132 X 58	24	CB91208WM00	322
GI Metal Box- 12 Module	210 X 132 X 61	16	CB91112WM00	474
GI Metal Box- 16 Module	227 X 146 X 61	12	CB91116WM00	546
GI Metal Box- 18 Module	212 X 210 X 61	10	CB91118WM00	592

- Suitable for entice, englaze, enCurve and enGem ranges.
- GI Boxes Conforms to IS14772: 2000
- With  Marking

We make more than switches.  
We make your moments.



Electrical & Automation



enCurve

enCurve - Soft Operating Switches  
from Lauritz Knudsen  
#MadeForMoments

## KEY FEATURES



### SLEEK & CURVILINEAR DESIGN

Impress your customers with the enCurve range's stunning curvilinear design that blends seamlessly into modern interiors. The premium build and contemporary look are sure to add a touch of sophistication to every space.



### SOFT OPERATING SWITCH

With its soft operating switches and low-sound mechanism, enCurve offers a smooth, noiseless experience to customers. Every click on switch feels premium, ensuring both comfort and satisfaction in daily use.



### ENGINEERED FOR ENDURANCE

enCurve switches are tested for over 1 lakh switching operations, ensuring exceptional durability. Pair that with strong grid frames & a break-free knob design for fan regulators, and you get unmatched reliability over years of use.



### EFFORTLESS CONNECTION

The hassle-free socket design ensures easy plugging and unplugging, making it convenient for all age groups while offering complete peace of mind for everyday use.



### INSTALL IN A SNAP

A front-removal system, captive screws, & smart construction make installation fast & fuss-free. Whether it's a fresh fit-out or an upgrade, enCurve ensures time efficiency for professionals and a perfect finish for every space.



### DUAL-PORT USB CHARGING

USB Charger Integrated with both Type-A and Type -C PD charging ports delivering 18W of power. enCurve delivers fast, reliable charging for all your devices. Eliminate the need for bulky adapters & keep your tech powered with a sleek, built-in solution that matches your interiors.



### FOUR PART SWITCH CONSTRUCTION

- Double-Knob Spark-free mechanism
- Safe, quiet switching




### HOSPITALITY SOLUTIONS

Specially curated combinations & finishes to enhance guest experiences in hotels & resorts. Built to withstand frequent use These solutions balance durability with style for every touchpoint.



### MULTIPLE COLOUR OPTIONS

enCurve offers wide range of colour options to customer to match with their home décor





CB95101SW06  
CB95101SW16  
CB95101SW25  
CB95301SW06  
CB95301SW16  
CB95301SW25  
CB95402SW32



CB95201SG06  
CB95201SG16  
CB95101BG06  
CB95101SG06  
CB95101SG16  
CB95101SG25  
CB95301SG06  
CB95301SG16  
CB95301SG25

- Soft operating & low sound switch.
- Brass Switch terminals & screws
- 1 Lakh switching operation.
- Spark Shield, Captive screws & Tunnel Terminals.
- All Switches and bell push are ISI marked and conforms to IS 3854: 2023
- "AX" rating for switches are suitable to fluorescent lights also.
- Suitable for Self Ballast Lamp.



CB95102MW25



CB95602CW06



CB95302CW16

- 6A 3 Pin, 6A/16A 3 Pin Combi Sockets conforms to latest IS Standard of IS 1293:2019
- All sockets are equipped with safety shutters.
- 6A 3 Pin Socket is suitable for 2 Pin Plug top also.

**SWITCHES & BELL PUSH WITH ISI**

Description	Std Pack	White		Magnesium Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Switch 1 way 6AX 1M	20	CB95101SW06	88	CB95101SG06	106
Switch 1 way 6AX with indicator 1M	20	CB95301SW06	231	CB95301SG06	289
Switch 2 way 6AX 1M	20	CB95201SW06	221	CB95201SG06	277
Switch 1 way 16 AX 1M	20	CB95101SW16	205	CB95101SG16	245
Switch 1 way 16AX with indicator 1M	20	CB95301SW16	282	CB95301SG16	339
Switch 2 way 16AX 1M	20	CB95201SW16	310	CB95201SG16	387
Switch 1 way 25 A 1M	20	CB95101SW25	261	CB95101SG25	326
Switch 1 way 25A with indicator 1M	20	CB95301SW25	353	CB95301SG25	443
Switch 32A DP with Indicator lamp 2M	10	CB95402SW32	561	CB95402SG32	701
Bell Push 6A 1M	20	CB95101BW06	245	CB95101BG06	307
Bell Push 6A 1M with Indicator 1 M	20	CB95301BW06	274	CB95301BG06	341
Bell Push 6A with indicator 2M	10	CB95302BW06	364	CB95302BG06	455

**MOTOR STARTER**

Description	Std Pack	White		Magnesium Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Motor starter 25A 2M	10	CB95102MW25	1077	CB95102MG25	1265

**POWER SOCKET WITH ISI**

Description	Std Pack	White		Magnesium Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Socket 3 Pin Socket 6A with ISI 2M	10	CB95602CW06	165	CB95602CG06	211
Socket 6A/16A combined with ISI 2M (Tested upto 25A rating also)	10	CB95302CW16	272	CB95302CG16	339

FAN REGULATORS & DIMMERS



CB95101RW01      CB95102RW02

- 5 step fan regulator conforms to IS 11037: 2019
- All fan regulators are with 360 degree rotation.
- Fan Regulators also suitable for BLDC fan without remote.
- Dimmers support incandescent and halogen loads only.

Description	Std Pack	White		Magnesium Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Dimmer 400 W 1M	10	CB95101DW04	791	CB95101DG04	988
Fan regulator 4-Step 1M	10	CB95101RW01	545	CB95101RG01	655
Fan regulator 5-Step 2M	5	CB95102RW02	704	CB95102RG02	811

DATA SOCKETS & ACCESSORIES



CB95101TW11    CB95101TW00    CB95101AW00    CB95201AW00    CB95102LW00



CB95101AW02    CB95101AW18    CB95401AW00

Description	Std Pack	White		Magnesium Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
RJ 11 1M	20	CB95101TW11	230	CB95101TG11	285
RJ 45 Cat 6A 1M	20	CB95301TW45	878	CB95301TG45	1098
TV Socket 1M	20	CB95101TW00	224	CB95101TG00	279
Cable Outlet 1M	20	CB95101AW00	180	CB95101AG00	227
Blank off unit 1M	20	CB95201AW00	47	CB95201AG00	59
LED Foot Light 2M	5	CB95102LW00	1078	CB95102LG00	1346
USB Charger 2A 1M	10	CB95101AW02	1358	CB95101AG02	1630
USB Charger 18W Type A & Type C- Combi Type 1M	10	CB95101AW18	2450	CB95101AG18	2750
LED Phase indicator 1M-Full Glow	20	CB95401AW00	272	Same as White	

USB Charger conforms to IS 13252 (Part 1)

MINI MCBs



CB95101KW06  
CB95101KW10  
CB95101KW16  
CB95101KW20  
CB95101KW25  
CB95101KW32      CB95202KW25  
CB95202KW32

FEATURES

- Conforms to IS/IEC 60898 - part 1
- Breaking capacity - 3 kA
- No Line load biased
- Suitable for use as isolator

Description	Std Pack	White		Magnesium Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
6A SP Mini MCB 3 kA 1M	10	CB95101KW06	537	CB95101KG06	645
10A SP Mini MCB 3 kA 1M	10	CB95101KW10	537	CB95101KG10	645
16A SP Mini MCB 3 kA 1M	10	CB95101KW16	537	CB95101KG16	645
20A SP Mini MCB 3 kA 1M	10	CB95101KW20	537	CB95101KG20	645
25A SP Mini MCB 3 kA 1M	10	CB95101KW25	537	CB95101KG25	645
32A SP Mini MCB 3 kA 1M	10	CB95101KW32	537	CB95101KG32	645
25A DP Mini MCB 3 kA 2M	5	CB95202KW25	1199	CB95202KG25	1439
32A DP Mini MCB 3 kA 2M	5	CB95202KW32	1199	CB95202KG32	1439

HOSPITALITY RANGE



CB95302HW32



CB95302HW00



CB95302HW32



CB95601HW10

- DND MMR Outside Unit in 1 Module size
- DND MMR Inside Unit supplied complete set, occupy 2 module size
- Mechanical Key Tag is Modular type and supplied without plate

Description	Std Pack	White		Magnesium Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Mech Key Tag 32A -2M	5	CB95302HW32	996	CB95302HG32	1315
Spare key for Mech key tag	10	CB95302HW00	93	CB95302HG00	104
DND MMR inside room unit 2M	10	CB95502HW10	688	CB95502HG10	1004
DND MMR outside room unit 1M	10	CB95601HW10	736	CB95601HG10	1114




COVER PLATES WITH GRID FRAMES

Description	Std Pack	White		Magnesium Grey		Desert Gold		Vintage Gold		Nebula Black		Antique Bronze	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate with Grid Frames	10	CB95101FW00	132	CB95101FG01		CB95101FD01		CB95101FV01		CB95101FB01		CB95101FA01	178
2 Module Cover Plate with Grid Frames	10	CB95102FW00	132	CB95102FG01		CB95102FD01		CB95102FV01		CB95102FB01		CB95102FA01	178
3 Module Cover Plate with Grid Frames	10	CB95103FW00	171	CB95103FG01		CB95103FD01		CB95103FV01		CB95103FB01		CB95103FA01	232
4 Module Cover Plate with Grid Frames	10	CB95104FW00	202	CB95104FG01		CB95104FD01		CB95104FV01		CB95104FB01		CB95104FA01	273
6 Module Cover Plate with Grid Frames	5	CB95106FW00	298	CB95106FG01		CB95106FD01		CB95106FV01		CB95106FB01		CB95106FA01	403
8 Module Cover Plate with Grid Frames Horizontal	5	CB95108FW00	353	CB95108FG01		CB95108FD01		CB95108FV01		CB95108FB01		CB95108FA01	476
8 Module Cover Plate with Grid Frames Square	5	CB95208FW00	353	CB95208FG01		CB95208FD01		CB95208FV01		CB95208FB01		CB95208FA01	476
9 Module Cover Plate with Grid Frames Horizontal	5	CB95109FW00	394	CB95109FG01		CB95109FD01		CB95109FV01		CB95109FB01		CB95109FA01	513
12 Module Cover Plate with Grid Frames	5	CB95112FW00	477	CB95112FG01		CB95112FD01		CB95112FV01		CB95112FB01		CB95112FA01	644
16 Module Cover Plate with Grid Frames	4	CB95116FW00	707	CB95116FG01		CB95116FD01		CB95116FV01		CB95116FB01		CB95116FA01	953
18 Module Cover Plate with Grid Frames	4	CB95118FW00	724	CB95118FG01		CB95118FD01		CB95118FV01		CB95118FB01		CB95118FA01	975



CB95101FW00



CB95102FW00




CB95103FW00



CB95104FW00




CB95106FW00




CB95108FW00



CB95109FW00





CB95208FW00



CB95112FW00

We make more than switches.  
We make your moments.



enGem

enGem - Safe and secure  
switches from Lauritz Knudsen  
#MadeForMoments



## COMPLETE USB CHARGING SOLUTION

The enGem range allows customers to fast-charge devices with the power of 18W Combi type - Type A & Type C. The range also comes with a 2A USB Charger.



## PREMIUM FLAT DESIGN

Impress your customers with the enGem range of premium flat-design plates. They come with superior plastic quality and wide cover plates that make them durable and easier to install.



## HASSLE-FREE PLUGGING

When you choose enGem, your customers can be rest assured about the safety of their children due to it's in-built safety shutter in sockets. More safety is sure to earn you more compliments.



## 360° ROTATION FOR BREAK-FREE OPERATIONS

When you recommend enGem switches, your customers get to enjoy the comfort of a fan without the hassle of a breakage-prone regulator. The 360° rotation regulator knob is built and designed for break-free operations.



## CAPTIVE SCREWS AND FRONT REMOVAL SYSTEM

enGem switches reduce the time taken for every switch installation, thereby helping you finish the job quicker. These switches come with captive screws and front removal switches to make the installation process quicker and easier for you. But faster installations for you also mean lesser wait time for your customers. So, faster you finish the job, the more compliments you are bound to get.



## 1 LAKH + CLICKS & 10,000 TIMES SOCKET UNPLUGGING

Your customers will only compliment you when the switch you install lasts really long. enGem switches offer more than 1 Lakh clicks, which has also been certified by NABL\*. What's more, you can plug sockets in and out over 10,000 times.



## COLOUR & BEZEL OPTIONS AVAILABLE

enGem switches are now available in two classic colours, White & Stone Grey. And you get to choose Chrome & Gold bezel options too. enGem brings to you 6 stunning options to match with your home decor.



## HOSPITALITY SOLUTIONS

Specially curated combinations & finishes to enhance guest experiences in hotels & resorts. Built to withstand frequent use These solutions balance durability with style for every touchpoint.

**SWITCHES & BELL PUSH WITH **

Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Switch 6AX 1-way 1M	20	CB93101SW06	74	CB93101SS06	91
Switch 6AX 1-way with Indicator 1M	20	CB93301SW06	217	CB93301SS06	271
Switch 6AX 2-way 1M	20	CB93201SW06	201	CB93201SS06	252
Switch 16AX 1-way 1M	20	CB93101SW16	186	CB93101SS16	230
Switch 16AX 1-way with Indicator 1M	20	CB93301SW16	264	CB93301SS16	317
Switch 16AX 2-way 1M	20	CB93201SW16	282	CB93201SS16	352
Switch 20A 1-way 1M	20	CB93101SW20	243	CB93101SS20	305
Switch 20A 1-way with Indicator 1M	20	CB93301SW20	331	CB93301SS20	415
Switch 32A DP with Indicator lamp 2M	10	CB93402SW32	526	CB93402SS32	656
Bell Push 6A 1M	20	CB93101BW06	230	CB93101BS06	288
Bell Push 6A with Indicator 1M	20	CB93301BW06	256	CB93301BS06	319
Bell Push 6A with Indicator 2M	10	CB93302BW06	341	CB93302BS06	426

**MOTOR STARTER**


Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
<b>New</b> Motor Starter 25A 2M	10	CB93102MW25	1009	CB93102MS25	1241

**POWER SOCKET WITH **

Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Socket 6A 3 Pin with ISI 2M	10	CB93602CW06	162	CB93602CS06	207
Socket 6A/16A 3 Pin Combi with ISI 2M	10	CB93302CW16	266	CB93302CS16	332



- 1 Lakh switching operation.
- Spark Shield, Captive screws & Tunnel Terminals.
- All Switches and bell pushes are ISI marked and conforms to IS 3854: 2023
- "AX" rating for switches are suitable to fluorescent lights also.
- Suitable for Self Ballast Lamp



CB93102MW25



CB93602CW06



CB93302CW16

- 6A 3 Pin, 6A/16A 3 Pin Combi Sockets conforms to latest IS Standard of IS 1293:2019.
- All sockets are equipped with safety shutters.
- 6A 3 Pin Socket is suitable for 2 Pin Plug top also.
- 6A/16A Sockets tested upto 25A rating also.



CB93101RW01      CB93102RW02      CB93102RS02      CB93101RS01

- 5 step fan regulator conforms to IS 11037: 2019
- All fan regulators are with 360 degree rotation.
- Fan Regulators also suitable for BLDC fan without remote.
- Dimmers only support incandescent and halogen load.



CB93101TW11      CB93101TW00      CB93101AW00      CB93201AW00      CB93102LW00



CB93101AW02      CB93101AW18      CB93101TS11      CB93102LS00      CB93101AS02      CB93401AW00

USB Charger conforms to IS 13252 (Part 1)



CB93101KW06  
CB93101KW10  
CB93101KW16  
CB93101KW20  
CB93101KW25  
CB93101KW32

CB93202KW25  
CB93202KW32

## FEATURES

- Conforms to IS/IEC 60898 - part 1
- Breaking capacity - 3 kA
- No Line load biased
- Suitable for use as isolator

## FAN REGULATORS & DIMMERS

Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Dimmer 400 W 1M	10	CB93101DW04	753	CB93101DS04	941
Fan Regulator 4-Step 80W 1M	10	CB93101RW01	519	CB93101RS01	624
Fan Regulator 5-Step 120W with ISI 2M	05	CB93102RW02	671	CB93102RS02	773

## DATA SOCKETS & ACCESSORIES

Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
RJ 11 Socket with Shutter 1M	20	CB93101TW11	213	CB93101TS11	272
<b>New</b> RJ 45 Cat 6A Socket with Shutter 1M	20	CB93301TW45	813	CB93301TS45	1045
TV Socket 1M	20	CB93101TW00	208	CB93101TS00	266
Cable Outlet 1M	20	CB93101AW00	172	CB93101AS00	216
Blank off Unit 1M	20	CB93201AW00	45	CB93201AS00	56
LED Foot Light 2M	5	CB93102LW00	1026	CB93102LS00	1283
USB Charger 2A 1M	10	CB93101AW02	1293	CB93101AS02	1552
<b>New</b> USB Charger 18W Type A & C 1M	10	CB93101AW18	2400	CB93101AS18	2700
LED Phase Indicator 1M-Full Glow	20	CB93401AW00	259	Same as White	

## MINI MCBs

Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
6A SP Mini MCB 3kA 1M	10	CB93101KW06	512	CB93101KS06	614
10A SP Mini MCB 3kA 1M	10	CB93101KW10	512	CB93101KS10	614
16A SP Mini MCB 3kA 1M	10	CB93101KW16	512	CB93101KS16	614
20A SP Mini MCB 3kA 1M	10	CB93101KW20	512	CB93101KS20	614
25A SP Mini MCB 3kA 1M	10	CB93101KW25	512	CB93101KS25	614
32A SP Mini MCB 3kA 1M	10	CB93101KW32	512	CB93101KS32	614
25A DP Mini MCB 3kA 2M	5	CB93202KW25	1142	CB93202KS25	1371
32A DP Mini MCB 3kA 2M	5	CB93202KW32	1142	CB93202KS32	1371

**COVER PLATES WITH GRID FRAMES**



CB93101FW00

CB93102FW00

CB93103FW00

CB93104FW00



CB93104FS01



CB93106FS01




CB93104FS06



CB93106FS05



CB93106FW05



CB93106FW06

Description	Dimensions W X H X D (mm)	Std Pack	White		Stone Grey	
			Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate+Grid Frame	98 X 90 X 14	15	CB93101FW00	123	CB93101FS01	167
2 Module Cover Plate+Grid Frame	98 X 90 X 14	15	CB93102FW00	123	CB93102FS01	167
3 Module Cover Plate+Grid Frame	126 X 90 X 14	10	CB93103FW00	160	CB93103FS01	217
4 Module Cover Plate+Grid Frame	158 X 90 X 14	10	CB93104FW00	189	CB93104FS01	256
6 Module Cover Plate+Grid Frame	229 X 90 X 14	5	CB93106FW00	280	CB93106FS01	377
8 Module Cover Plate+Grid Frame Horizontal	263 X 90 X 14	5	CB93108FW00	330	CB93108FS01	446
8 Module Cover Plate+Grid Frame Square	158 X 157 X 14	5	CB93208FW00	330	CB93208FS01	446
12 Module Cover Plate+Grid Frame	229 X 157 X 14	5	CB93112FW00	447	CB93112FS01	603
16 Module Cover Plate+Grid Frame	249 X 156 X 18	4	CB93116FW00	662	CB93116FS01	892
18 Module Cover Plate+Grid Frame	229 X 226 X 14	5	CB93118FW00	677	CB93118FS01	914

**COVER PLATES WITH GRID FRAMES FOR BEZEL OPTIONS**



White with  
Chrome Bezel



White with  
Gold Bezel



Stone Grey with  
Chrome Bezel



Stone Grey with  
Gold Bezel

Description	Std Pack	White with Chrome Bezel		White with Gold Bezel		Stone Grey with Chrome Bezel		Stone Grey with Gold Bezel	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate+Grid Frame	10	CB93101FW05	146	CB93101FW06	157	CB93101FS05	200	CB93101FS06	227
2 Module Cover Plate+Grid Frame	10	CB93102FW05	146	CB93102FW06	157	CB93102FS05	200	CB93102FS06	227
3 Module Cover Plate+Grid Frame	10	CB93103FW05	190	CB93103FW06	202	CB93103FS05	262	CB93103FS06	294
4 Module Cover Plate+Grid Frame	10	CB93104FW05	223	CB93104FW06	239	CB93104FS05	308	CB93104FS06	348
6 Module Cover Plate+Grid Frame	4	CB93106FW05	330	CB93106FW06	353	CB93106FS05	455	CB93106FS06	514
8 Module Cover Plate+Grid Frame Horizontal	4	CB93108FW05	406	CB93108FW06	432	CB93108FS05	562	CB93108FS06	628
8 Module Cover Plate+Grid Frame Square	4	CB93208FW05	406	CB93208FW06	432	CB93208FS05	562	CB93208FS06	628
12 Module Cover Plate+Grid Frame	4	CB93112FW05	570	CB93112FW06	584	CB93112FS05	759	CB93112FS06	818
16 Module Cover Plate+Grid Frame	4	CB93116FW05	845	CB93116FW06	866	CB93116FS05	1126	CB93116FS06	1212
18 Module Cover Plate+Grid Frame	4	CB93118FW05	864	CB93118FW06	886	CB93118FS05	1150	CB93118FS06	1240

## HOSPITALITY RANGE **NEW**



Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Mech Key Tag 32A 2M	5	CB93302HW32	946	CB93302HS32	1249
Spare key for Mech key tag	10	CB93302HW00	88	CB93302HS00	99
DND MMR inside room unit 2M	10	CB93502HW10	654	CB93502HS10	954
DND MMR outside room unit 1M	10	CB93601HW10	699	CB93601HS10	1058



- GI Metal Boxes Suitable for englage, entice, enCurve and enGem ranges
- GI Metal Boxes Conforms to IS 14772:2000.
- New Standard retail packing as per above mentioned quantity, will be available soon with new packaging.
- With Marking
- Standard pack size suitable for Retail sales.

## GI METAL MOUNTING BOXES

Description	Dimensions W X H X D (mm)	Std Pack	Cat No	MRP in ₹
GI Metal Box - 1 & 2 Module	72 X 75 X 46	10	CB93102WM00	85
GI Metal Box-3 Module	98 X 75 X 46	10	CB93103WM00	125
GI Metal Box- 4 Module	133 X 75 X 53	10	CB93104WM00	152
GI Metal Box- 6 Module	204 X 75 X 53	10	CB93106WM00	218
GI Metal Box- 8 Module Horizontal	230 X 78 X 53	5	CB93108WM00	279
GI Metal Box- 8 Module Square	131 X 136 X 58	5	CB93208WM00	279
GI Metal Box- 12 Module	204 X 135 X 58	5	CB93112WM00	372
GI Metal Box- 16 Module	231 X 142 X 58	5	CB93116WM00	456
GI Metal Box- 18 Module	204 X 202 X 58	5	CB93118WM00	518

## SURFACE MOUNTING BOXES

Suitable for entice, englage and enGem range of plates



## MOUNTING BOXES - PLASTIC SURFACE

Description	Dimensions W X H X D (mm)	Std Pack	Cat No	MRP in ₹
Surface Mounting Box - 1/2M	98 X 90 X 50	12	CB91102WP00	102
Surface Mounting Box - 3M	126 X 90 X 50	10	CB91103WP00	134
Surface Mounting Box - 4M	158 X 90 X 50	12	CB91104WP00	159
Surface Mounting Box - 6M	229 X 90 X 50	5	CB91106WP00	209
Surface Mounting Box - 8M Horizontal	263 X 90 X 50	5	CB91108WP00	262
Surface Mounting Box - 8M Square	158 X 157 X 50	7	CB91208WP00	262
Surface Mounting Box - 12M	229 X 157 X 50	5	CB91112WP00	348
Surface Mounting Box - 16M	249 X 157 X 50	5	CB91116WP00	369
Surface Mounting Box - 18M	229 X 226 X 50	5	CB91118WP00	401

## STANDALONE RANGE



CB93100PW06  
CB93100PW16



CB93300PW06  
CB93300PW16



Angle Holder  
Batten Angle Holder  
CB93400LW01



CB93400LW02



CB93400LW03



CB93400LW04



OA05W06



OA04W13



CB93400AB06  
CB93300AB06

## PLUG TOP WITH

Description	Std Pack	Cat No	MRP in ₹
Plug Top 6A 3 Pin with ISI	10	CB93100PW06	109
Plug Top 6A 3 Pin with indicator with ISI	10	CB93300PW06	132
Plug Top 16A 3 Pin with ISI	10	CB93100PW16	167
Plug Top 16A 3 Pin with indicator with ISI	10	CB93300PW16	186

## LAMP HOLDER

Description	Std Pack	Cat No	MRP in ₹
 Jumbo Lamp Holder 2 in 1 Type	24	CB93400LW01	128
 Lamp Holder Angular Type	30	CB93400LW02	48
 Lamp Holder Batten Type	40	CB93400LW03	46
Jumbo Ceiling Rose	40	CB93400LW04	77

## SPIKE GUARDS

Description	Std Pack	Cat No	MRP in ₹
Spike Guard 4-way with Resettable Fuse	1	OA04W13	1082
Spike Guard 3-way with Twin USB Charger and Resettable Fuse	1	OA05W06	1852
Spike Guard 4 Way - 1.5 Mtr	1	CB93300AB06	818
Spike Guard 4 Way - 5 Mtr	1	CB93400AB06	1271

## CUSTOMISED GI METAL BOXES SUITABLE FOR MIVAN CONSTRUCTION

Suitable for entice, englaze and enGem range of plates

### Technical Specifications

- Material Type – CRCA Galvanised Sheet
- Sheet Thickness – 1.2mm / 1.6mm
- Depth – 50mm / 60mm
- GI coating – 120 GSM
- Knockouts – Multiple knockouts on all sides
- RoHS Compliant – Yes
- Testing /Certification – Conforms to IS14772: 2000
- with  Marking



• Make to order for projects, please consider **Delivery time – 6-8 weeks**

### CUSTOMISED GI METAL BOXES - 1.2MM THICK & 50MM DEPTH

Description	Dimensions W X H X D (mm)	Std Pack	Cat No	MRP in ₹
GI Metal Box - 1/2 Module 1.2mm & 50mm Depth	73 X 78 X 50	10	CB91102WM1250	187
GI Metal Box-3 Module 1.2mm & 50mm Depth	99 X 78 X 50	10	CB91103WM1250	230
GI Metal Box- 4 Module 1.2mm & 50mm Depth	133 X 78 X 50	10	CB91104WM1250	273
GI Metal Box- 6 Module 1.2mm & 50mm Depth	202 X 78 X 50	10	CB91106WM1250	391
GI Metal Box- 8 Module L-1.2mm & 50mm Depth	231 X 78 X 50	5	CB91108WM1250	465
GI Metal Box- 8 Module Sqr -1.2mm & 50mm Depth	132 X 136 X 50	5	CB91208WM1250	465
GI Metal Box- 12 Module -1.2mm & 50mm Depth	204 X 136 X 50	5	CB91112WM1250	589

### CUSTOMISED GI METAL BOXES - 1.6MM THICK & 50MM DEPTH

Description	Dimensions W X H X D (mm)	Std Pack	Cat No	MRP in ₹
GI Metal Box - 1/2 Module 1.6mm & 50mm Depth	74 X 78 X 50	10	CB91102WM1650	241
GI Metal Box-3 Module 1.6mm & 50mm Depth	100 X 78 X 50	10	CB91103WM1650	284
GI Metal Box- 4 Module 1.6mm & 50mm Depth	134 X 78 X 50	10	CB91104WM1650	348
GI Metal Box- 6 Module 1.6mm & 50mm Depth	205 X 78 X 50	10	CB91106WM1650	455
GI Metal Box- 8 Module L-1.6mm & 50mm Depth	232 X 78 X 50	5	CB91108WM1650	562
GI Metal Box- 8 Module Sqr -1.6mm & 50mm Depth	132 X 136 X 50	5	CB91208WM1650	562
GI Metal Box- 12 Module -1.6mm & 50mm Depth	204 X 136 X 50	5	CB91112WM1650	733

### CUSTOMISED GI METAL BOXES - 1.2MM THICK & 60MM DEPTH

Description	Dimensions W X H X D (mm)	Std Pack	Cat No	MRP in ₹
GI Metal Box - 1/2 Module 1.2mm & 60mm Depth	72 X 75 X 61	10	CB91102WM1260	215
GI Metal Box-3 Module 1.2mm & 60mm Depth	98 X 75 X 61	10	CB91103WM1260	264
GI Metal Box- 4 Module 1.2mm & 60mm Depth	133 X 75 X 61	10	CB91104WM1260	314
GI Metal Box- 6 Module 1.2mm & 60mm Depth	204 X 75 X 61	10	CB91106WM1260	449
GI Metal Box- 8 Module L-1.2mm & 60mm Depth	232 X 78 X 62	5	CB91108WM1260	535
GI Metal Box- 8 Module Sqr -1.2mm & 60mm Depth	132 X 136 X 62	5	CB91208WM1260	535
GI Metal Box- 12 Module -1.2mm & 60mm Depth	205 X 136 X 62	5	CB91112WM1260	696

### CUSTOMISED GI METAL BOXES - 1.6MM THICK & 60MM DEPTH

Description	Dimensions W X H X D (mm)	Std Pack	Cat No	MRP in ₹
GI Metal Box - 1/2 Module 1.6mm & 60mm Depth	74 X 75 X 61	10	CB91102WM1660	277
GI Metal Box-3 Module 1.6mm & 60mm Depth	100 X 75 X 61	10	CB91103WM1660	326
GI Metal Box- 4 Module 1.6mm & 60mm Depth	134 X 75 X 61	10	CB91104WM1660	400
GI Metal Box- 6 Module 1.6mm & 60mm Depth	205 X 75 X 61	10	CB91106WM1660	523
GI Metal Box- 8 Module L-1.6mm & 60mm Depth	232 X 78 X 62	5	CB91108WM1660	646
GI Metal Box- 8 Module Sqr -1.6mm & 60mm Depth	132 X 136 X 62	5	CB91208WM1660	646
GI Metal Box- 12 Module -1.6mm & 60mm Depth	205 X 136 X 62	5	CB91112WM1660	843

## MATERIAL DISCONTINUED, AVAILABLE TILL STOCKS LAST

Description	Cat No	MRP in ₹	Description	Cat No	MRP in ₹
entice Dimmer 1000W 2M	CB91102DW10	1467	englaze Curtain Control Switch 2M 10A	CB92502AW10	791
entice Twin RJ 11 1M	CB91201TW11	381	englaze Shaver socket 4M	CB92104HW10	6588
entice RCA Connector 1M	CB91201TW00	3303	englaze Volume controller 2M	CB92702HW00	1493
entice HDMI Connector 1M	CB91301TW00	2702	englaze Bell indicator with Reset 1M	CB92801HW00	1572
entice USB Connector 1M	CB91401TW00	2302	englaze Call bell station with ind 2M	CB92902HW00	2196
entice VGA Connector 1M	CB91501TW00	2502	englaze Movement Sensor 1M	CB92701AW00	7816
entice Bell indicator with Reset 1M	CB91801HW00	1395	englaze Twin RJ 11, shutters M Grey	CB92201TM11	570
entice Volume Controller 2M	CB91702HW00	1354	englaze RCA connector M Grey	CB92201TM00	4736
entice Dimmer 1000W 2M - Cha Grey	CB91102DG10	2087	englaze HDMI connector M Grey	CB92301TM00	3874
entice Twin RJ 11, 1M - Cha Grey	CB91201TG11	548	englaze USB Connector M Grey	CB92401TM00	3301
entice RCA Connector 1M - Cha Grey	CB91201TG00	4545	englaze VGA Connector M Grey	CB92501TM00	3588
entice HDMI Connector 1M - Cha Grey	CB91301TG00	3717	englaze Shaver socket 4M M Grey	CB92104HM10	8233
entice USB Connector 1M - Cha Grey	CB91401TG00	3168	englaze Volume controller 2M M Grey	CB92702HM00	1867
entice VGA Connector 1M - Cha Grey	CB91501TG00	3443	englaze Bell indicator with Reset 1M M Grey	CB92801HM00	1965
entice Volume Controller 2M-Cha Grey	CB91702HG00	1708	englaze Call bell station with ind 2M M Grey	CB92902HM00	2746
entice Bell ind. with Reset 1M-Cha Grey	CB91801HG00	1844	englaze Movement Sensor 1M M Grey	CB92701AM00	9770
englaze 6A/16A 3pin combi Socket with ISI 3M	CB92303CW16	693	englaze Curtain Control Switch 2M 10A - M Grey	CB92502AM10	1208
englaze Dimmer 1000 W 2M	CB92102DW10	1794	englaze Dimmer 1000 W M Grey	CB92102DM10	2243
englaze Twin RJ 11, with shutters 1M	CB92201TW11	456	ORIS Digital Ding Dong Door Bell	OB31W00	416
englaze RCA connector 1M	CB92201TW00	3962	ORIS Mantras Door Bell	OB32W00	477
englaze HDMI connector 1M	CB92301TW00	3241	ORIS English Melody Door Bell	OB33W00	507
englaze USB Connector 1M	CB92401TW00	2763	RJ 45 Cat 6 Socket with shutter 1M discontinued for englaze, entice & engem range		
englaze VGA Connector 1M	CB92501TW00	3000	englaze Shadow Black metal plate range is discontinued		
			englaze touch switches range is discontinued		
			ORIS range is discontinued		



## WARRANTY POLICY

- **All products** carry warranty against manufacturing defects due to fault workmanship.
- **All switches**, sockets and accessories carry a warranty of 12 years from the date of manufacturing.
- **Products** with electronic circuits and LED i.e. enConnect WiFi Switches, electronic fan regulators, dimmers, foot light, buzzers, hotel range, USB chargers, bell indicators, sensors, touch switches etc., carry a warranty of 2 years from the date of manufacturing.
- **All colour products** and material plates carry a warranty of 3 years from the date of manufacturing.
- **Warranty** does not apply to case of breakage/tampering with products.
- **The warranty** is subject to the provision of proper usage and proper maintenance and does not cover defects arising out of fire, accident, insufficient maintenance, faulty operations and wilful or accidental damage.
- **Company** shall not be liable for any consequential losses, injuries or damages attributes to defect or failure of it's products.
- **Tripper, Tripbox and Tripbox PLUS range**  
all products listed in the price list carry a warranty against manufacturing deffects for a period of 18\* months from the date of purchase.
- Extended Warranty of 5 years on **Lauritz Knudsen E&A MCBs** and Isolators if mounted inside **Lauritz Knudsen E&A Distribution Boards**.
- **Note:** We are committed to maintaining our product warranty in line with our standard terms for both the Lauritz Knudsen brand and the L&T Switchgear brand.  
The change in brand will not alter our standard warranty terms or any applicable extended warranty terms.  
Furthermore, we will ensure that spares and after-sales support remain available throughout the entire product life cycle, regardless of whether the products are under the L&T Switchgear brand or the Lauritz Knudsen Brand

\*Proof of purchase to be retained to avail warranty.

# Electrical Standard Products (ESP) Offices:

## HEAD OFFICE

Lauritz Knudsen Electrical & Automation, Electrical Standard Product, A/600, Shil-Mahape Road, TTC Industrial Area, MIDC, Navi Mumbai, 400 710, Maharashtra,  
Tel: 022 6722 6300 | Fax: 022-67051112 | e-mail: CIC@LK-EA.com

## BRANCH OFFICES

Lauritz Knudsen Electrical & Automation  
C-201, The First Commercial Complex,  
B/S Keshavbaug Party Plot, Vastrapur,  
**Ahmedabad - 380 015**  
Phone No: 022-6932 7800  
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation  
6th Floor, Exotica Greens, A Block, 191,  
R G Baruah Road, Guwahati Central,  
**Guwahati - 781 005**  
Phone No: 022-6932 7800  
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation  
Business Communication Centre  
2nd Floor, Chiramel Chambers,  
Kurisupally Road, Ravipuram,  
**Kochi - 682 015**  
Phone No: 022-6932 7800  
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation  
TC II, Tower B, PRIMA BAY Gate No. 5,  
Saki Vihar Road Powai,  
**Mumbai - 400 072**  
Phone No: 022-6932 7800  
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation  
UrbanWrk, 5th Floor, Sai Radhe,  
Raja Bahadur Mill Road, Behind Hotel  
Grand Sheraton, Sangamwadi  
**Pune - 411 001**  
Phone No: 022-6932 7800  
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation  
Wework Central, #36 Infantry Road,  
**Bengaluru - 560 001**  
Phone No: 022-6932 7800  
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation  
Shri Daneshwari, 1st Floor,  
Plot No. 17, 2nd Cross, Near Old Income  
Tax Office Road, Vidyanagar,  
**Hubballi - 580 021**  
Phone No: 022-6932 7800  
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation  
207, 2nd floor, Revolution Complex,  
Station Road, E Ward,  
Next to Pedestrian Bridge,  
**Kolhapur - 416 001**  
Phone No: 022-6932 7800  
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation  
Unnati Building, 2nd Floor,  
Automation Campus, A-600, TTC Industrial  
Area Shil-Mahape Road, Mahape,  
**Navi Mumbai - 400 710**  
Phone No: 022-6932 7800  
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation  
Office No. 211 & 212, Pithalia Plaza,  
KK Road, Near Fafadih Chowk,  
**Raipur - 492 001**  
Phone No: 022-6932 7800  
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation  
Work loop Unit-612, 6th Floor,  
Esplanade One, Rasulgurh,  
**Bhubaneswar - 751 010**  
Phone No: 022-6932 7800  
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation  
AWFIS Space Solutions, Prestige Phoenix,  
4th floor, 1405, Umanagar, Begumpet,  
**Hyderabad - 500 016**  
Phone No: 022-6932 7800  
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation  
2nd Floor, BN3, Salt Lake, Sector-V,  
**Kolkata - 700 091**  
Phone No: 022-6932 7800  
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation  
M1 & M2, Mezzanine Floor,  
Himalaya Excellency,  
Plot No. C-47, Pratap Nagar Square,  
**Nagpur - 440 022**  
Phone No: 022-6932 7800  
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation  
DevX 4th Floor, A Wing, Om 9 Square,  
150 Ft Ring Road, Near Nana Mava Circle,  
Opp Silver Heights,  
**Rajkot - 360 001**  
Phone No: 022-6932 7800  
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation  
801 Word Level-8, No. 28,  
SIDCO Industrial Estate, Guindy,  
**Chennai - 600 032**  
Phone No: 022-6932 7800  
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation  
Workie, 214 - 2nd Floor,  
Apollo Premier, PU-4,  
Scheme No. 54, Vijay Nagar Square,  
**Indore - 452 010**  
Phone No: 022-6932 7800  
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation  
No.10, Fortuna Towers, 2nd Floor,  
Rana Pratap Marg, Near NBRI,  
**Lucknow - 226 001**  
Phone No: 022-6932 7800  
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation  
2nd Floor, Samarth House,  
Opposite Titan World,  
Samarth Nagar, Mahatma Nagar,  
**Nasik - 422 005**  
Phone No: 022-6932 7800  
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation  
10th Floor, Titaanium Business,  
Bhimrad Road, Althan  
**Surat - 395 017**  
Phone No: 022-6932 7800  
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation  
Playworkz Coworking Space  
43 & 44, 3rd Cross,  
Bharathy Colony, Peelamedu,  
**Coimbatore - 641 004**  
Phone No: 022-6932 7800  
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation  
Office No. 430, 4th Floor,  
Jaipur Electronic Market, Riddhi Siddhi,  
Gopalpura Bypass,  
**Jaipur - 302 018**  
Phone No: 022-6932 7800  
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation  
El Dorado Building, 3rd Floor, 6,  
Venkatraman Street, Chinna Chokkikulam,  
**Madurai - 625 002**  
Phone No: 022-6932 7800  
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation  
A-25, 1st Floor, Imperia Complex,  
Mohan Corporate Industrial Estate,  
Near Sarita Vihar Metro Station,  
Mathura Road,  
**New Delhi - 110 044**  
Phone no: 022-6932 7800  
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation  
11th Floor, Block-D, Notus IT Park,  
Sarabhai Campus, Bhailal Amin Marg,  
**Vadodara - 390 023**  
Phone No: 022-6932 7800  
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation  
3rd Floor, 1&2 Vijay Park,  
Main Chakrata Road, Opp. Anandam,  
Near Ballupur chowk,  
**Dehradun - 248 001**  
Phone No: 022-6932 7800  
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation  
GDR Siddha, Ground Floor, N Road  
Bistupur, Opposite St. Mary's Church,  
**Jamshedpur - 831 001**  
Phone No: 022-6932 7800  
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation  
Bestech Business Park,  
Tower - A, 2nd floor, Sector - 66  
**Mohali - 160059**  
Phone No: 022-6932 7800  
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation  
A06/A07, Second Floor,  
Grand Chandra Complex, Frazer Road  
**Patna - 800 001**  
Phone No: 022-6932 7800  
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation  
Qubexpro Business Centre,  
4th Floor, V Mall, Above Lifestyles,  
Facor Layout, Waltair Uplands,  
**Visakhapatnam - 530 003**  
Phone No: 022-6932 7800  
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation  
Ground Floor, B-27,  
Biplab Rashbihari Sarani,  
Sector 2A, Bidhan Nagar,  
**Durgapur - 713 212**  
Phone No: 022-6932 7800  
e-mail: CIC@LK-EA.com

Product improvement is a continuous process. For the latest information and special application, please contact any of our offices listed here. Product photographs shown for representative purpose only

Lauritz Knudsen Electrical & Automation, Electrical Standard Product, A/600, Shil-Mahape Road, TTC Industrial Area, MIDC, Navi Mumbai, 400 710, Maharashtra, Tel: 022 6722 6300 | Web: www.LK-EA.com

Customer Interaction Center (CIC)  
Phone no: 022 6932 7800  
Web: www.LK-EA.com | e-mail: CIC@LK-EA.com

Reach Us On:



Electrical & Automation